

Luminaire Schedule					
Symbol	Qty	Label	Arrangement	Total Lamp Lumens	LLF
4	10	MLLG-AG-LED-IMF-200-5-TR-60D-	SINGLE	25966	1.000
4	2	MLLG-LED-SBHO2-100-5-T3	Single	16127	1.000

Calculation Summary						
Label	Units	Avg	Max	Min	Avg/Min	Max/Min
Entire Area	Fc	2.27	36.9	0.0	N.A.	N.A.
Parking Lot	Fc	3.91	36.9	0.0	N.A.	N.A.

Luminaire Location Summary						
Label	X	Y	Z	Orient	Tilt	
MLLG-LED-SBHO2-100-5-T3	362	194	12	180	0	
MLLG-LED-SBHO2-100-5-T3	149	194	12	0	0	
MLLG-AG-LED-IMF-200-5-TR-60D-	198	163	21	161.2	67.073	
MLLG-AG-LED-IMF-200-5-TR-60D-	197	162	21	215.256	73.529	
MLLG-AG-LED-IMF-200-5-TR-60D-	251.995	159.619	21	225.378	72.574	
MLLG-AG-LED-IMF-200-5-TR-60D-	251.995	159.619	21	303.634	71.619	
MLLG-AG-LED-IMF-200-5-TR-60D-	311	161	21	327.265	67.189	
MLLG-AG-LED-IMF-200-5-TR-60D-	311	161	21	6.843	67.363	



DRK Enterprises LLC / LED Lighting Supply  
 1 Chestnut Street, 4M  
 Nashua, NH 03060  
 (888) 423-3191  
 www.ledlightingsupply.com

**Parking Lot**

Lighting Specialist

DATE: 2/8/2022  
 REF NO. Hometown Management.AGI  
 SCALE: AS SHOWN

AGI32® Version 20.6.2

This Lighting Plan Analysis ("Lighting Design") provided by the DRK Enterprises LLC / LED Lighting Supply ("DRK") represent an anticipated prediction of lighting system performance based upon design parameters and information supplied by others. These design parameters and information provided by others have not been field verified by DRK and therefore actual measured results may vary from the actual field conditions. DRK recommends that design parameters and other information be field verified to reduce variation.

DRK neither warranties, either implied or stated with regard to actual measured light levels as compared to those illustrated by the Lighting Design. DRK neither warranties, either implied or stated, nor represents the appropriateness, completeness or suitability of the Lighting Design intent as compliant with any applicable regulatory code requirements with the exception of those specifically stated on drawings created and submitted by DRK. The Lighting design is issued, in whole or in part, as advisory documents for informational purposes and is not intended for construction nor as being part of a project's construction documentation package.

Replacing fixtures in this lighting design with other fixtures voids the results provided within the lighting plan. This lighting plan represents the photometric output of the fixtures specified within this plan.