












THE ASPHALT SURFACE SHALL BE COMPACTED TO 98% MAXIMUM DENSITY.
ALL GRANULAR ROLLED STONE BASE UNDER PROPOSED CONCRETE MUST BE COMPACTED TO 100% OF THE MAXIMUM DENSITY AS DETERMINED BY THE STANDARD PROCTOR TEST AASHTO T-99.




ALL NON-REINFORCED CONCRETE SHALL BE 4,000 PSI AT 28 DAYS.



THIS DETAIL HAS BEEN PROVIDED FOR CONCEPTUAL APPROVAL ONLY. EXACT DETAIL OF MATERIAL AND CONSTRUCTION METHODS SHALL BE OUTLINED IN THE ARCHITECTURAL BUILDING PLANS.

PROJECT TITLE:
PROGRESS WEST LOT 2

ENGINEERING
PLANNING
SURVEYING
221 Point View Blvd.
St. Charles, MO 63301
636-928-5562
FAX 928-1718



DISCLAIMER OF RESPONSIBILITY
I hereby specify that the documents intended to be authorized by my seal are limited to this sheet, and I hereby disclaim any responsibility for all other Drawings, Specifications, Estimates, Reports or other documents or instruments relating to or intended to be used for any part or parts of the architectural or engineering project or survey other than those authorized by my seal.

CLIFFORD L. HEITMANN
CIVIL ENGINEER
E29817
Copyright 2022
Box Engineering Company, Inc.
Authority No. 000655
All Rights Reserved

REVISIONS	
05-19-22	CITY COMMENTS
06-10-22	CITY COMMENTS
06-30-22	CITY COMMENTS

Developer / Owner:
Davis Family Trust
2209 Droste Rd.
St. Charles, MO 63301

P+Z No. #21-009309
Approval Date: 11/04/21
City No. #
Page No.

C8

Issue Date: 03/16/2022