

TOTAL AREA
206,354 SQ. FT.
4.737 AC.




Table 60-5 Soil Stabilization Schedule

Soil Disturbance Activity or Condition	Required Stabilization Time
Soil disturbance has ceased in areas greater than 2,000 square feet	14 days
After construction of dikes, swales, diversions, and other concentrated flow areas	5 days
When slopes are steeper than 3 horizontal to 1 vertical	7 days
When slopes are greater than 3% and longer than 150 feet	14 days
Perimeter controls around soil stockpiles	End of workday
Stabilization or covering of inactive stockpiles	30 days
When land disturbance is completed, permanent soil stabilization must be installed.	30 days


SPILL AND SITE POLLUTION:

Should an accidental spill occur refer to material safety data sheets. Any spills of hazardous materials in quantities in excess of reportable quantities as defined by EPA or the state agency regulations, shall be immediately reported to the EPA National Response Center (800-424-8802) and Missouri Department of Natural Resources (573-634-2436). Reportable spills for petroleum products is greater than 50 gallons. All other reportable hazardous materials and their quantities may be found on the web site at <http://www.dnr.mo.gov> on the local number is 573-840-9750. Federal law requires the responsible party to report any release of oil if it reaches or threatens a sewer, lake, creek, stream, river, groundwater, wetlands, or area like a road ditch, that drains into the above.

An emergency spill kit is required to be onsite for all potential spills.

PROJECT TITLE:
COOL SPRING CT.
PARKING ADDITION

ENGINEERING FIRM:
M/JSM SURVEYING
221 Point West Blvd.
St. Charles, MO 63301
636-949-0680
FAX 636-949-1718



DISCLAIMER OF RESPONSIBILITY:
I hereby specify that the documents intended to be authorized by my seal are limited to this sheet, and I hereby disclaim any responsibility for all other drawings, specifications, estimates, reports or other documents or instruments relating to or intended to be used for any other project of the architectural or engineering profession.

LARRY DAVID WALKER
NUMBER: 03/16/18
PE-20702343
PROFESSIONAL ENGINEER

Larry Walker
Civil Engineer
2007020343

Copyright 2018
Box Engineering Company, Inc.
Engineering Authority No. 000655
Surveying Authority No. 000144
All Rights Reserved

REVISIONS

NO.	DATE	DESCRIPTION

Developer / Owner:
M/JSM, L.L.C.
2209 DROSTE ROAD
ST. CHARLES, MO 63301
636-949-0680

GRADING, SWPPP PLAN

P+Z No. #1407.06.01
Approved April 6, 2017

City No. #

Page No.
2 of 3

Site Address: 213 Cool Springs Rd.