

 <p>NOTES:</p> <p>1. ALL COMPACTION SHALL BE TO 95% OR GREATER PER ASTM D698.</p> <p>2. WITH APPROVAL OF AMEREN CIVIL ENGINEERING, CONTRACTOR HAS OPTION TO INSTALL SURFACE MIXTURE TO FULL DEPTH OF ASPHALT LAYERS IN LIEU OF ASPHALT INTERMEDIATE AND BASE LAYER. LIFT THICKNESS SHALL NOT EXCEED 2" FOR THESE APPLICATIONS.</p> <p>3. ASPHALT JOINT SEALANT SHALL CONFORM TO ASTM D6690 AND SHALL BE INSTALLED IN ACCORDANCE WITH MANUFACTURE'S RECOMMENDATIONS</p>					
ASPHALT DRIVE - SECTION VIEW AA	NO SCALE	1	ASPHALT DRIVE SURFACING DETAIL AND NOTES	NO SCALE	2	NOT USED	NO SCALE	3
NOT USED	NO SCALE	4	NOT USED	NO SCALE	5	NOT USED	NO SCALE	6
NOT USED	NO SCALE	7	NOT USED	NO SCALE	8	NOT USED	NO SCALE	9



1901 CHOUTEAU AVE.
ST. LOUIS, MO 63103




BLACK & VEATCH

16305 SWINGLEY RIDGE RD, SUITE 230
CHESTERFIELD, MO 63017
(636) 536-5800

PROJECT NO:	409336.0036.2030
DRAWN BY:	VDP
CHECKED BY:	AL

7	09/16/24	PER JURISDICTION COMMENTS
6	07/01/24	PER CONTRACTOR COMMENTS
5	04/22/24	PER JURISDICTION COMMENTS
4	02/15/24	PER CLIENT COMMENTS
3	01/09/24	PER JURISDICTION COMMENTS
2	10/16/23	PER JURISDICTION COMMENTS
1	06/15/23	PER JURISDICTION COMMENTS
0	05/19/23	ISSUED FOR 100% CDs
REV	DATE	DESCRIPTION



IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

AMEREN PLTE PROJECT
KEATON
3605 HWY K
O'FALLON, MO 63368
MONOPOLE

SHEET TITLE
ASPHALT PAVING DETAILS

SHEET NUMBER
C-6