



ALTERNATE REINFORCEMENT PLACEMENT ON SUBSEQUENT REINFORCEMENT ELEVATIONS TO ELIMINATE GAPS ON PREVIOUS REINFORCEMENT ELEVATIONS




GEOSYNTHETIC PLACEMENT
SQUARE FOOT UNIT—CONCAVE CURVE
SCALE: NONE

GRANULAR LEVELING PAD 6" THICK




- NOTE:
- LIMIT CHANGES IN BASE ELEVATION TO 8" PER STEP TO AVOID DIFFERENTIAL SETTLEMENT
 - STEP AS NEEDED TO MINIMIZE BURIED UNITS AND MAINTAIN MINIMUM REQUIRED EMBEDMENT

STEPPING BASE DETAIL
SQUARE FOOT UNIT
SCALE: NONE



- NOTE:
- FOLLOW GEOSYNTHETIC GRID MANUFACTURER'S INSTALLATION INSTRUCTIONS AND SPECIFICATIONS
 - GEOGRID LENGTH AND ELEVATION PLACEMENT SHALL BE DETERMINED BY WALL DESIGN ENGINEER

GEOSYNTHETIC INSTALLATION DETAIL
SQUARE FOOT UNIT
SCALE: NONE



PAVEMENT DETAIL
SQUARE FOOT UNIT
SCALE: NONE

#	DESCRIPTION	DATE
1	CONSTRUCTION DOCUMENTS ISSUED FOR REVIEW	10/27/2022

SHAWN W. BARRY - ENGINEER
MOR# PE-2009001053

ATOTH & ASSOCIATES
1606 E. REPUBLIC RD. SUITE A
SPRINGFIELD, MO 65804
Ph: 417-888-0645 Fax: 417-888-0657
www.atothassociates.com

DESIGNED BY: JDEB
CHECKED BY: SWB
APPROVED BY: SWB
DATE: 10/27/2022
SCALE: AS SHOWN

This drawing and specifications are not intended for use on other projects at this site or other sites without written approval of the engineer.

PROJECT: 7 BREW COFFEE - ON SITE RETAINING WALL
LOCATION: CITY OF OFFALON, ST. CHARLES COUNTY, MISSOURI 6336
CLIENT: CITY OF OFFALON
TITLE: SECTIONS AND DETAILS

PROJECT SHEET NO.: W4 OF 4