

- (1) SAWCUT TO PROVIDE CLEAN PAVEMENT EDGE.
- 2 PAVEMENT REMOVAL TO THE NEAREST JOINT, COORDINATE
- (3) EXISTING FIRE HYDRANT TO BE REMOVED AND RELOCATED.
- (4) FIELD LOCATE EXISTING 12" STORM SEWER PIPE. CUT PIPE FOR INSTALLATION OF PROPOSED DETENTION BASIN OUTLET STRUCTURE. REMOVE PIPE AND ALL STORM SEWER INLETS WITHIN LIMITS OF CONSTRUCTION.
- (5) FIELD LOCATE EXISTING SANITARY SEWER LATERAL FOR CONNECTION WITH PROPOSED SANITARY SEWER. COORDINATE EXISTING DEPTH OF SANITARY SEWER WITH ARCHITECTURAL PLANS AND ENGINEER AS REQUIRED.
- (6) EXISTING PYLON SIGN TO BE REMOVED. RELOCATION OF THIS SIGN SHALL REQUIRE REVIEW AND APPROVAL OF A
- (7) EXISTING WOOD FENCE TO BE REMOVED.
- 8 EXISTING WATER METER TO BE RELOCATED OUT OF THE PROPOSED ENTRANCE OR INSTALLED IN H-20 LOAD RATED METER VAULT AND CASTING. COORDINATE RELOCATION OR NEW METER VAULT WITH ALLIANCE WATER COMPANY AND
- SEXISTING CABLE TELEVISION PEDESTAL TO BE RELOCATED OUT OF THE PROPOSED ENTRANCE. COORDINATE
- (10) EXISTING ALDI MAILBOX TO BE REMOVED AND RELOCATED
- (12) COORDINATE ROADWAY REMOVAL ITEMS WITH ROADWAY
- (13) CRACK CONTROL PER SAINT CHARLES COUNTY HIGHWAY DEPARTMENT STANDARD SPECIFICATIONS FOR HIGHWAY CONSTRUCTION, SECTION 1057.
- (14) REMOVE EXISTING SPEED BUMP.

A CLEAN SAW CUT SHALL BE PROVIDED IN THE AREA WHERE PROPOSED PAVEMENT, CURB AND GUTTER MEETS EXISTING

REMOVE ALL EXISTING IMPROVEMENTS, PAVEMENT, CURBING, ABOVE GROUND STRUCTURES, TREES, BRUSH, ROOTBALLS, BUILDINGS, FOOTINGS, ALL INTERIOR ITEMS, AND DISCONNECT UTILITIES IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS WITHIN LIMITS OF PROPOSED CONSTRUCTION.

CONTACT INFORMATION

THE CITY OF O'FALLON SHALL ALSO BE CONTACTED SEPARATELY FOR ALL UTILITY LOCATES UNDER ITS MAINTENANCE RESPONSIBILITY.

> Saint Peters, MO 63376 CHARTER COMMUNICATIONS 100 North Main Street

119 East Elm Street

O'Fallon, MO 63366 FIRE DISTRICT: O'Fallon Fire Protection District


WATER & SANITARY SEWER:


ALLIANCE

REMOVE ALL PAVEMENT, CURBING, SIDEWALK, AND ABOVE GRADE STRUCTURES UNLESS OTHERWISE NOTED.

BE REMOVED

TOP OF REBAR SET FLUSH WITH GROUND ELEV: 581.97 (NAVD 88) USGS DATUM OBTAINED BY GPS OBSERVATION





DE DE

WOOLF 1910 Saint 63103 314.2 FAX:

SHEET NO.

C100