



1. EXISTING SANITARY SEWER SERVICE SHALL NOT BE INTERRUPTED.
2. DUCKETT CREEK SANITARY SEWER DISTRICT (DCSD) INSPECTION, COORDINATION AND APPROVAL IS REQUIRED FOR ABANDONMENT OF EXISTING SANITARY SEWER MAIN.
3. EXISTING SANITARY SEWER MAIN SHALL NOT BE ABANDONED UNTIL REPLACEMENT SANITARY SEWER MAIN IS INSTALLED, INSPECTED AND APPROVED BY DCSD FIELD INSPECTOR.
4. EASEMENT VACATION and DEDICATION EXHIBITS WILL BE RECORDED AT SUCH TIME AS THE REPLACEMENT SANITARY SEWER IS IN PLACE AND APPROVED.
5. EXISTING SEWER MAIN TO BE ABANDONED SHALL BE GROUT FILLED AND PLUGGED AT EACH TERMINUS OF ABANDONED PIPE.
6. EXISTING MANHOLES TO BE ABANDONED SHALL BE REMOVED.

- 11/08/2006 - UPDATES PER ARCHITECT
- 07/12/2006 - ADDITIONAL SPOT GRADES ON NORTHWEST BUILDING FACE

- ▲ 06/09/06 REVISED AMENUE COMMENTS.
- ▲ 05/15/06 REVISED PER SEWER DISTRICT COMMENTS.
- ▲ ADDED ABANDONMENT NOTES TO SHEETS C3 and C4, REVISED LATERAL STATIONING, ADDED CONCRETE ENCASUREMENT.
- ▲ 05/03/06 REVISED PER CITY COMMENTS
- ▲ 04/25/06 REVISED PER CITY, SEWER DISTRICT AND CLIENT COMMENTS
- ▲ 03/22/06 REVISED PER CITY AND CLIENT COMMENTS

**APC LAB FACILITY
SITE AND GRADING PLAN**

Stock & Associates
Consulting Engineers, Inc.

257 Chesterfield Business Parkway
St. Louis, MO 63005
PH. (636) 530-9100
FAX (636) 530-9130
e-mail: general@stockassoc.com
Web: www.stockassoc.com

DRAWN BY: A.C.D. DATE: 01/23/06 CHECKED BY: D.P.B. DATE: 01/23/06 JOB NUMBER: 205-3635.1 SHEET: C4 of C12

