



FOUNDATION PLAN

SCALE: 1/2"=1'-0"



BUILDING FOOTING TYPICAL SECTION

NOT TO SCALE



SLAB AT BUILDING ENTRANCE TYPICAL SECTION

NOT TO SCALE

FOUNDATION NOTES:

- 1. FOUNDATION TO BEAR ON SOIL WITH A MINIMUM OF 3,000 PSF BEARING CAPACITY.
- 2. FOOTINGS TO BE INSPECTED BY SOILS ENGINEER PRIOR TO PLACEMENT OF CONCRETE.
- 3. ALL WORK SHALL BE COMPLETED IN A PROFESSIONAL MANNER AND TO ALL LOCAL BUILDING CODES AND ORDINANCES.
- 4. PERMITS TO BE ACQUIRED BY GENERAL CONTRACTOR OR A REPRESENTATIVE OF AT&T WIRELESS, INC. PRIOR TO THE START OF CONSTRUCTION.
- 5. GENERAL CONTRACTOR SHALL VISIT SITE PRIOR TO SUBMITTAL OF PROPOSALS TO VERIFY SITE CONDITIONS.
- 6. GENERAL CONTRACTOR SHALL HAVE EXISTING UTILITIES LOCATED IN THE FIELD PRIOR TO THE START OF CONSTRUCTION.
- 7. GENERAL CONTRACTOR TO COORDINATE WITH UTILITY COMPANIES AS TO UTILITY RELOCATIONS AND UTILITY SERVICES.
- 8. ALL STEEL REINFORCING SHALL BE IN ACCORDANCE TO ASTM 615, GRADE 60, DEFORMED.
- 9. FILL MATERIALS SHALL NOT BE PLACED IN LIFTS EXCEEDING 9 INCHES.
- 10. EXCESS SOIL SHALL BE REMOVED FROM SITE AS REQUIRED. TO BE INCLUDED IN BID.
- 11. ALL COMPACTION SHALL BE AS DIRECTED BY SOILS ENGINEER.
- 12. CONTRACTOR TO VERIFY ALL FOUNDATION DIMENSIONS WITH BUILDING PLANS PRIOR TO CONSTRUCTION.

RDZRE POLK, JR. BUNG

REVISIONS						
					DESCRIPTIONS	CHOCK WINDS
					DATE	
						NO DATE DESCRIPTIONS

AT&T WIRELESS PCS, IN LOT 3 OF O'FALLON CORPORATE CENTRE, O'FALLON, MISSOUR! 63304

Farnsworth Polk, Inc.

engineers & surveyors

144 W. Lockwood Ave. St. Louis, MO 63119 Phone (314)962-7900 Fax (314)962-1253

TITLE:
BUILDING FOUNDATION
PLAN

DATE: JANUARY 14, 1997
PROJECT NO.: 96515.1

SHEET:

FP 96515

S-1