



DOWNSPOUT SYSTEM A			
No.	Sta.	Type	Elevation
A1	0+00	CONNECT TO G7	FL468.00
A2	0+82	10"x6" WYE, DS-19'R	FL469.64
A3	0+95	10"-45" WYE W/C.O.	FL469.90
A4	1+08	10"x6" WYE, DS-4'R	FL470.16
A5	1+44	10"x6" WYE, DS-4'R	FL470.88
A6	1+80	10"x6" WYE, DS-4'R	FL471.60
A7	2+33	8"x6" WYE, DS-4'R	FL472.66
A8	2+62	8"x6" WYE, DS-4'R	FL473.24
A9	2+80	8"x6" WYE W/C.O., DS-4'R	FL473.60
A10	1+81	10"x8" REDUCER	FL471.62

DOWNSPOUT SYSTEM B			
No.	Sta.	Type	Elevation
B1	0+00	CONNECT TO G5	FL470.00
B2	0+17	10"x6" WYE, DS-4'L	FL470.34
B3	0+48	10"x6" WYE, DS-4'L	FL470.96
B4	0+79	10"x6" WYE, DS-4'L	FL471.58
B5	1+10	10"x6" WYE, DS-4'L	FL472.20
B6	1+41	10"x6" WYE, DS-4'L	FL472.82
B7	1+59	8"x6" WYE, DS-7'L	FL473.18
B8	1+73	8"x6" WYE, DS-4'L	FL473.46
B9	2+04	8"x6" WYE, DS-4'L	FL474.08
B10	2+35	8"x6" WYE, DS-4'L	FL474.70
B11	2+60	8"-45" WYE W/C.O., DS-7'L	FL475.20
B12	0+07	YARD DRAIN SA	FL473.32
B13	1+52	10"x8" REDUCER	FL473.04



WATER SERVICE DETAIL

UNDERGROUND UTILITIES HAVE BEEN PLOTTED FROM AVAILABLE INFORMATION AND THEREFORE THEIR LOCATIONS SHALL BE CONSIDERED APPROXIMATE ONLY. THE VERIFICATION OF THE LOCATION OF ALL UNDERGROUND UTILITIES, EITHER SHOWN OR NOT SHOWN ON THESE PLANS SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR, AND SHALL BE LOCATED PRIOR TO ANY GRADING OR CONSTRUCTION OF THE IMPROVEMENTS.

**PROJECT TITLE:**  
Anjon Manufacturing  
South Cool Springs Road

**ENGINEERING FIRM:**  
PLANNING SURVEYING  
221 Point View Blvd.  
St. Charles, MO 63301  
636-928-5662  
FAX 928-1718

**DISCLAIMER OF RESPONSIBILITY:**  
I hereby specify that the documents intended to be authorized by my seal are limited to this sheet, and I hereby disclaim any responsibility for all other drawings, specifications, estimates, reports or other documents or instruments relating to or intended to be used for any part or parts of the architectural or engineering project or survey.

**CLIFFORD L. HEITMANN**  
CIVIL ENGINEER  
E29817  
Copyright © 2022  
Box Engineering Company, Inc.  
Authority No. 000655  
All Rights Reserved

**REVISIONS**

06-09-22	CITY COMMENTS
06-27-22	CITY COMMENTS
07-06-22	CITY COMMENTS
08-23-22	CITY COMMENTS
09-16-22	CITY COMMENTS
11-22-22	CLIENT REVISIONS
12-01-22	CITY COMMENTS
01-25-23	CLIENT REVISIONS

**Owner:**  
Lottes Springs, LLC  
1000 Liberty Industrial Drive  
O'Fallon, MO 63366  
800-553-5605

**UTILITY PLAN**

**P+Z No.** #21-011066  
**Approval Date:** 02-07-22  
**City No.**  
**Page No.** C4