


ASSUMPTION CHURCH
PARKING LOT


SITE AND
GRADING PLAN




City File No 1102

NOTE: REPLACE THIRD STREET PAVEMENT WITH LIKE MATERIAL AND THICKNESS AFTER OPEN CUT.

NOTE: ADJUST SIDEWALK REQUIRED TO EXISTING TREE



3" ASPHALT PAVEMENT 1 NTS
6" CONCRETE CURB 2 NTS
7" CONCRETE PAVEMENT 3 NTS



CONCRETE SIDEWALK 4 NTS
COMBINATION CURB & SIDEWALK 5 NTS

Benchmark Elevation 542.03 - Std. Tablet Stamped F 149 1955. Top corner, post 40' East of Main Street Centerline, 30' North of centerline of main tracks.
Site Benchmark: Elevation 516.54 - Box on light base Northwest corner of Church parking lot North side of Church.

UNLESS NOTED TO BE REMOVED, ALL TREES SHALL BE PROTECTED.
FUTURE LANDSCAPE ISLANDS SHALL BE BUILT WITHIN 3 MONTHS AFTER COMPLETION OF FUTURE PARKING LOT FOR PLANNED NEW CHURCH.
ENTRANCES WITHIN RIGHT OF WAY SHALL BE 7" PORTLAND CEMENT CONCRETE OVER 4" ROCK BASE

OWNER: RIGALI, JUSTIN F. ARCHBISHOP OF ST. LOUIS
4445 LINDELL BLVD.
ST. LOUIS, MO 63108
(314) 533-1887

The underground utilities shown herein were plotted from available information and do not necessarily reflect the actual existence, or nonexistence, size, type, number, or location of these or other utilities. The general contractor shall be responsible for verifying the actual location of all underground utilities in the field, shown or not shown, prior to any grading, excavation, or construction of improvements. These provisions shall in no way absolve any party from complying with the Underground Facility Safety and Damage Prevention Act, Chapter 319, RSMo.