


CENTERLINE CURVE INFORMATION

C-1	R=1500.00' L=85.83' Δ=32°33'20"	C-5	R=1250.00' L=171.46' Δ=8°7'11"
C-2	R=225.00' L=144.89' Δ=32°33'20"	C-6	R=745.00' L=105.58' Δ=8°7'11"
C-3	R=995.00' L=141.01' Δ=8°7'11"	C-7	R=1060.00' L=27.67' Δ=1°35'58"
C-4	R=1000.00' L=141.72' Δ=8°7'11"	C-8	R=150.00' L=85.23' Δ=32°33'20"



SCALE: 1"=50'



NOTE! All proposed laterals on the existing 8" Sanitary Sewer to use the existing wyes at the stationing shown, unless otherwise called out as needing a saddle tee or wye fitting. (Lots 430 and 398)

NOTE! Tail Stake Elevations are design elevations. Basement Floor Elevations are the minimum elevations that will clear Tail Sicks with the Foundation and not necessarily the Elevation that will make the lot earthwork balance.

NOTE! All existing Manhole Tops to be adjusted to meet final grade!

NOTE!!

This plan is to be used exclusively for the location of water mains. DO NOT use this plan for the location of any other utilities.

Property NIF  
 Mary Dickherber