



**A SITE LIGHT BASE**  
C2.1 SCALE: 3/4" - 1'-0"

**SITE ELECTRICAL NOTES**


1. EACH LIGHT CIRCUIT SHALL HAVE HOME RUN CONDUIT TO SWITCHGEAR.
2. FINAL ADJUSTMENTS OF FLOODLIGHT ANGLES AND DIRECTIONS ARE TO BE MADE AFTER DARK, AVOID INTERFERENCE WITH TRAFFIC OR ADJACENT PROPERTY, PER SATISFACTION OF B.E. REPRESENTATIVE.
3. ALL SITE LIGHTING TO BE WIRED IN 1" PVC EACH CIRCUIT TO HAVE DIRECT RUN TO THE SWITCHGEAR. DO NOT LOOP CIRCUITS.
4. FLOODLIGHTS, POLE SIGNS, SIDE BUILDING SIGNS AND ROOF LIGHTS ARE CONTROLLED BY PHOTOCELL THROUGH THE TIME CLOCK.
5. FLAG POLE LIGHTS ARE TO HAVE A SEPARATE PHOTO CELL SUPPLIED BY THE ELECTRICAL CONTRACTOR.
6. RAISE SITE LIGHT BASE TO 2'-0" ABOVE FINISHED GRADE WHEN LOCATED DIRECTLY IN FRONT OF PARKING SPACES, (WITHIN 2'-0" OF CURB FACE).
7. SITE SIGN CONDUIT SHALL BE 1/2" DIRECT TO SWITCHGEAR. INCLUDE GROUND WIRE IN CONDUIT & SEPARATE GROUND ROD AT FOUNDATION FOR POLE.




**B STORM STRUCTURE DETAIL**  
C2.1 SCALE: 3/4" - 1'-0"




**C FINGER DRAIN**  
C2.1 SCALE: 1" - 1'-0"




**D CLEAN OUT DETAIL**  
C2.1 SCALE: 1" - 1'-0"




**E FOUNDATION DRAIN**  
C2.1 SCALE: 3/4" - 1'-0"




**F CAST IRON BOOT**  
C2.1 NO SCALE



**G HANDICAP SIGN**  
C2.1 NO SCALE



**H HANDICAP SYMBOL**  
C2.1 NO SCALE



**J HANDICAP RAMP**  
C2.1 NO SCALE

REVISIONS	DATE	DESCRIPTION
1	12-18-98	PRELIMINARY SITE SUBMITTAL
2	12-18-98	FINAL SITE SUBMITTAL
3		HEALTH DEPARTMENT SUBMITTAL
4		BLDG. DEPARTMENT SUBMITTAL
5		BID DOCUMENTS/CONSTRUCTION
		-15 FEB 1999

Prepared By:  
**ms consultants, inc.**  
engineers, architects, planners  
6000 South Boulevard, Suite 200, Columbus, Ohio 43229  
(614) 946-6700 FAX: (614) 946-6711

**Bob Evans RESTAURANT**  
OLD RT. 40 AND MO. HIGHWAY K  
OF FALLON, MO

**LIGHT BASE, DRAINAGE, & HANDICAP DETAILS**



PROJECT NUMBER  
**12202.306**

**C2.1**