




1. ASPHALT PAVEMENT SHALL BE COMPACTED TO 98% MAXIMUM DENSITY.
2. SUB GRADE AND BASE BENEATH PAVEMENTS SHALL BE COMPACTED TO ST. CHARLES COUNTY HIGHWAY DEPARTMENT SPECIFICATIONS. THE MOISTURE RANGE SHALL BE DETERMINED BY THE STANDARD OR MODIFIED PROCTOR DENSITY METHOD AASHTO T-99 AND WITHIN -2/+4 PERCENTAGE POINTS OF THE OPTIMUM MOISTURE CONTENT.



ALL CURB RAMPS SHALL HAVE TRUNCATED DOMES IN ACCORDANCE WITH ADAAG.

PROJECT TITLE
BRAMBLETT HILLS APARTMENTS

THD DESIGN GROUP, INC.
"your solution for engineering and surveying"
COPYRIGHT 2011
148 CHESTERFIELD INDUSTRIAL BLVD., CHESTERFIELD, MO 63005
TEL: 636-294-3212 FAX: 636-294-3227
WEB: THDDSGROUP.COM



Developer / Owner Information:
Michael Towerman
TriStar Properties
13997 Lakefront Drive
Earth City, MO 63045

Entrance Detail

P+Z No: 3805.05.02
Approval Date: 02/05/2015

City No.

Page No.