




Symbol	Label	Quantity	Manufacturer	Catalog Number	Description	Lamp	Number Lamps	Filename	Lumens Per Lamp	Light Loss Factor	Wattage
SA	SA	61	GE LIGHTING SOLUTIONS www.gelighting.com	P1_M155_AMS3	POST MOUNT	1, 150W MFS, CLEAR ED23.5, VBD	1	ge176529_jcm201-57364.lvs	16900	0.76	183
SB	SB	84	RICHLER	902BK	WALL LANTERN, ALUMINUM WITH STAINLESS STEEL	ONE 100-WATT INSIDE FROSTED A-19 INCANDESCENT G.E. 100A, VERTICAL BASE-UP POSITION (LED EQUIVALENT)	1	CST632V-CLR 100W A19 IES	1710	0.9	

Statistics					
Description	Symbol	Avg	Max	Min	Avg/Min
BRAMBLETT SITE	+	0.7 fc	12.5 fc	0.0 fc	N/A

GENERAL NOTES - PHOTOMETRICS

1. FIXTURE TYPE "SA" MOUNTED AT 15'-0", ON 18'-0" POLE. 3'-0" OF POLE IS DIRECT BURIED.
2. FIXTURE TYPE "SB" MOUNTED AT 7'-0" A.F.G.



G&W
 ENGINEERING CORPORATION
 DYNAMIC PROJECTS • 301 HANCOCK BLVD.
 SUITE 1000, FARMINGTON, MISSOURI 64241
 WWW.GANDWENGINEERING.COM

ENLARGED FLOOR PLANS - ELECTRICAL

CONSTRUCTION DOCUMENTS - 04-15-15

Project For:

Bramblett Hills Apartments
 Bramblett Road
 O'Fallon, Missouri

mjw weber architects
 123 Long Road
 Chesterfield, Missouri 63005
 636.519.1400
 636.519.1414 Fax

Revisions		
Rev. No.	Date	Description

E501

1 SITE PLAN - PHOTOMETRICS
 E501 SCALE: 1"=40'-0"

Date: 09 MAR 2015
 Project No.: 14001