


K:\D\0203043 HWY N (McBride)\IMPROVEMENTS\043storm.dwg 11/14/2002 07:28:00 AM CST



- NOTES:**
1. ALL SEWERS ARE PUBLIC UNLESS OTHERWISE NOTED.
 2. ALL AREA INLETS OPEN (4) FOUR SIDES UNLESS OTHERWISE SPECIFIED.

Construction of lake, outfall structure, outfall sewers, and inflow sewers when located below normal lake level shall be completed in accordance with the soils engineer's recommendations with regards to soil compaction, embankment construction, slope stabilization, and seepage control. It is recommended that anti-seepage collars and o-ring pipe (ASTM C=361) be utilized as required by the soils engineer.

1"=10'
1"=50'
SCALE

ISSUE REMARKS/DATE

1	05-14-03 1st Submittal
2	06-24-03 City of CF-Action Comments
3	11-19-04 Client Comments

PREPARED FOR:
McBride & Son Homes, Inc.
 #1 McBride & Son Center Drive
 Chesterfield, Missouri 63005
 (636) 537-2000

PREPARED BY:
THE STERLING CO.
 ENGINEERS & SURVEYORS
 5055 NEW BAUMGARTNER ROAD
 ST. LOUIS, MISSOURI 63129-4444
 (314) 441-4044
 E-Mail: Sterling@sterling-eng-sur.com

DRAWN:	DESIGNED:	CHECKED:
BRIARCHASE PHASE TWO		
STORM SEWER PROFILES		

NO.	02	03	043
M.S.D.	SHEET		
P#	9		
DIGITAL FILE LOCATION	SUPERSEDED BY		
DATE	BY		
08/27/2004	JMS		
		OF	14