



STORM SEWERS WHICH CROSS OVER EXISTING OR PROPOSED SANITARY SEWER TRENCHES SHALL BE GRADED IN CONCRETE (OR ENCASED H.D.P.E.) THROUGH THE FULL WIDTH OF THE SANITARY SEWER TRENCH. THE TRENCH SHALL BE BACKFILLED AND COMPACTED GRANULAR FILL TO THE BOTTOM OF THE CONCRETE CRADLE.

ALL SANITARY LATERAL STREET CROSSINGS, IF PROVIDED, SHALL BE BACKFILLED WITH GRANULAR MATERIAL (AGGREGATE).
SCALES:
 HORIZONTAL : 1" = 50'
 VERTICAL : 1" = 10'

PICKETT RAY & SILVER
 CIVIL ENGINEERS
 LAND SURVEYORS

335 Mid Rivers Mall Drive
 St. Peters, MO 63376
 Phone (636) 397-1211
 Fax (636) 397-1104

BROOKSIDE VILLAGE A
 SANITARY PROFILES

Prepared For:
SUMMIT POINTE L.C.

NO.	DATE	REV.	PER	COMMENTS
1	6/14/05	REV.	PER	CLIENT
3	8/11/05	REV.	PER	CITY COMMENTS DATED 7/26/05

ENGINEERS AUTHENTICATION:
 The responsibility for professional engineering liability on this project is hereby limited to the set of plans authenticated by the seal, signature, and date hereunder attached. Responsibility is disclaimed for all other engineering plans involved in this project and specifically excludes revisions after this date unless revisions are specifically noted and re-authenticated.

PICKETT RAY & SILVER, INC.
 STATE OF MISSOURI
HAROLD J. BARTECH
 REGISTERED PROFESSIONAL ENGINEER
 NUMBER 17751

DRAWN	MAK	DATE	FEB, 2005
CHECKED	DWD	DATE	FEB, 2005
PROJECT #	03029.SUPO.01R		
TASK #	002 FIELD BOOK 847		

BROOKSIDE VILLAGE A
 SANITARY PROFILES
 SHEET 29A OF 149

Copyright 2005 by Pickett, Ray & Silver, Inc.