



SEE SHEET 87B FOR CONTINUATION

SEE SHEET 120C FOR CONTINUATION

SEE SHEET 120C FOR CONTINUATION

ALL SANITARY LATERAL STREET CROSSINGS, IF REMOVED, SHALL BE BACKFILLED WITH GRANULAR MATERIAL (AGGREGATE). IF THE STORM AND SANITARY SEWERS ARE PARALLEL AND IN THE SAME TRENCH OR OVERPASS, THE UPPER SHALL BE PLACED ON A SHELVE AND LOWER ON THE OTHER SIDE OF THE SHELVE. STORM SEWERS WHICH CROSS OVER EXISTING OR PROPOSED SANITARY SEWERS, TRENCHES SHALL BE GRADED IN CONCRETE (OR ENCASED H.D.P.E.) THROUGH THE FULL WIDTH OF THE SANITARY SEWER TRENCH. THE TRENCH SHALL BE BACKFILLED AND COMPACTED GRANULAR FILL TO THE BOTTOM OF THE CONCRETE CRADLE.

SCALES:
 HORIZONTAL : 1" = 50'
 VERTICAL : 1" = 10'
 P & Z NO. 2603.01

PICKETT RAY & SILVER
 CIVIL ENGINEERS
 PLANNERS
 LAND SURVEYORS

335 Mid Rivers Mall Drive
 St. Peters, MO 63376
 Phone (636) 397-1211
 Fax (636) 397-1104

BROOKSIDE VILLAGE B
 SANITARY PROFILES

Prepared For:
SUMMIT POINTE L.C.

139 FOX HILL ROAD
 ST. CHARLES, MO. 63301
 (636) 940-9300

REVISIONS	NO.	DATE	BY	FOR CITY COMMENTS DATED
1	3	8/11/05		7/20/05

ENGINEERS AUTHENTICATION

The responsibility for professional engineering liability on this project is hereby limited to the set of plans authenticated by the seal, signature, and date hereunder attached. Responsibility is disclaimed for all other engineering plans involved in this project and specifically excludes revisions after this date unless reauthenticated.

PICKETT RAY & SILVER, INC.

HAROLD J. BARTCH
 REGISTERED PROFESSIONAL ENGINEER
 NUMBER E-17751

DRAWN	MAK	DATE	FEB. 2005
CHECKED	DWD	DATE	FEB. 2005
PROJECT	# 03029 SUPD.01R		
TASK	002	FIELD BOOK	847

BROOKSIDE VILLAGE B
 SANITARY PROFILES
 SHEET 86B OF 149

© Copyright 2005 by Pickett, Ray & Silver, Inc.