


SCALES:
 HORIZONTAL : 1" = 50'
 VERTICAL : 1" = 10'

ALL SANITARY LATERAL STREET CROSSINGS, IF TRENCHED, SHALL BE BACKFILLED WITH GRANULAR MATERIAL (AGGREGATE). IF THE STORM AND SANITARY SEWERS ARE PARALLEL AND IN THE SAME TRENCH OR DITCH, THE UPPER SHALL BE PLACED ON A SHELVE AND THE LOWER SHALL BE BEDDED IN COMPACTED GRANULAR FILL TO THE FLOW LINE OF THE UPPER.
 STORM SEWERS WHICH CROSS OVER EXISTING OR PROPOSED SANITARY SEWER TRENCHES SHALL BE GRAZED IN CONCRETE (OR ENCASED H.D.P.E.) THROUGH THE FULL WIDTH OF THE SANITARY SEWER TRENCH. THE TRENCH SHALL BE BACKFILLED AND COMPACTED GRANULAR FILL TO THE BOTTOM OF THE CONCRETE GRADE.
 ALL H.D.P.E. SHALL BE ADS N-12W



PICKETT RAY & SILVER
 CIVIL ENGINEERS
 PLANNERS
 LAND SURVEYORS

335 Mid Rivers Mall Drive
 St. Peters, MO 63376
 Phone (636) 397-1211
 Fax (636) 397-1104

BROOKSIDE VILLAGE B STORM PROFILES

Prepared For:
SUMMIT POINTE L.C.

219 FOX HILL ROAD
 ST. CHARLES, MO. 63301
 (636) 940-9300

NO.	DATE	REV.	PER CITY COMMENTS
1	8/11/05	REV.	PER CITY COMMENTS 7/26/05
2	8/26/05	REV.	PER CITY & CLIENT
3	9/19/05	REV.	PER CITY COMMENTS 9/12/05

ENGINEERS AUTHENTICATION
 The responsibility for professional engineering liability on this project is hereby limited to the set of plans authenticated by the seal, signature, and date hereunder attached. Responsibility is disclaimed for all other engineering plans involved in this project and specifically excludes revisions after this date unless reauthenticated.

PICKETT RAY & SILVER, INC.
 DONALD S. TIEMANN
 LICENSE NUMBER E-23345
 PROFESSIONAL ENGINEER

DRAWN	MAK	DATE	FEB, 2005
CHECKED	DWD	DATE	FEB, 2005
PROJECT #	03029 SUPP.01R		
TASK #	002 FIELD BOOK 847		