



| ISSUE | DATE | REMARKS |
|-------|------------|-------------------|
| 1 | 06/20/2017 | Initial Submittal |
| 2 | 10/06/2017 | City Comments |
| 3 | 11/10/2017 | City Comments |
| 4 | 12/16/2017 | City Comments |
| 5 | 01/11/2018 | City Resubmittal |

SEED & BLANKET SLOPE, PRIOR TO ECB INSTALLATION SLOPE TO BE SEED WITH MSD NATIVE SPECIES DRY MIX. SEE SHEET 4.9 FOR SEEDING SCHEDULE. INSTALL NA GREEN SIBORN ECB OR APPROVED EQUAL ON SLOPES WHERE HATCHED. INSTALL BLANKET PER MANUFACTURER'S SPECIFICATIONS FOR SLOPE INSTALLATION.

NOTE:
 BLANKET & SEEDING SHOULD BE INSTALLED IMMEDIATELY FOLLOWING THE COMPLETION OF GRADING OF SLOPE.

CONSTRUCTION SIGNAGE REQUIRED FOR UTILITY WORK IN GUTHRIE ROAD PER MUTCD STANDARDS (SEE SHEET 13.4)

10' WIDE X 20' LONG 18" THICK MSD DESIGNATION 7 STONE, STONE TO BE UNDERLAIN WITH GEOTEXTILE.

PROPOSED TREE PROTECTION FENCE TO BE INSTALLED PRIOR TO COMMENCEMENT OF MAJOR GRADING OPERATIONS. TREES AND VEGETATION CAN BE REMOVED IN LIMITED AMOUNTS TO FACILITATE THE INSTALLATION OF THE FENCE. (SEE DETAIL ON SHEET)

RETAINING WALL #2 W/ FENCE (DESIGN BY OTHERS)

STA. 12+00
 G.T.W.=521.8
 G.B.W.=506.7
 15.1'H.

STA. 1+50
 G.T.W.=521.8
 G.B.W.=503.0
 18.8'H.

STA. 1+00
 G.T.W.=523.7
 G.B.W.=507.3
 16.4'H.

RIGHT-OF-WAY DEDICATION (84'W. TOTAL RIGHT-OF-WAY WIDTH)

BASIN 'B'
 2 YR./20 MIN. HW ELEV.=542.02
 15 YR./20 MIN. HW ELEV.=542.59
 25 YR./20 MIN. HW ELEV.=542.94
 100 YR./20 MIN. HW ELEV.=543.41
 100 YR./20 MIN. LOW FLOW BLOCKED ELEV.=544.53
 (SEE DETAILS ON SHEETS 11.1-11.3)

6" WIDE X 14" LONG 18" THICK MSD DESIGNATION 7 STONE, STONE TO BE UNDERLAIN WITH GEOTEXTILE.

10' WIDE X 20' LONG 18" THICK MSD DESIGNATION 7 STONE, STONE TO BE UNDERLAIN WITH GEOTEXTILE.

10' WIDE X 43' LONG 18" THICK MSD DESIGNATION 7 STONE, STONE TO BE UNDERLAIN WITH GEOTEXTILE.

PROJECT TITLE

Brookview

OFFALLON, MISSOURI

THE STERLING CO.
 ENGINEERS & SURVEYORS

5055 New Baumgartner Road
 St. Louis, Missouri 63129
 Ph 314-487-0440 Fax 314-487-8944
 www.sterling-eng-sur.com
 Corporate Certificate of Authority #001348



Date: 01/11/18
 SEAN ACKLEY
 LICENSE # PE-2009018679
 Civil Engineer

McBride Guthrie, LLC
 16091 Swingley Ridge Road, Suite 300
 Chesterfield, Missouri 63017
 Ph. (636) 537-2000
 Fax (636) 537-2546

SWPPP

P+Z No. 17-005894
 City No. 17-008288
 Date: 01/11/18
 Job No. 17-02-041

Page No.

4.6

IMP