

NOTE


Underground utilities and structures have been plotted from available information and therefore, their location must be considered approximate only. It is the responsibility of the individual contractors to notify the utility companies before actual construction.

GENERAL NOTES

1. Do not scale drawing. Follow dimensions.
2. Sidewalk and sidewalk curb ramps shall be constructed in accordance with these details and the current approved "Americans with Disabilities Act Accessibility Guidelines" (ADAAG).
3. Maximum sidewalk width along 6" vertical curb shall be 5 feet. Minimum sidewalk width along 3" rolled curb shall be 4 feet.
4. Maximum sidewalk cross slope 0.02%.
5. All sidewalk sections shall be 4" thick, except where indicated as 7" thick by shaded portions shown on details.
6. Where curb ramp meets pavement, bollards will not be permitted.
7. If integral concrete curb is constructed, utilize a dummy joint across bottom of ramp at curb line. If concrete curb is constructed, block out pavement to provide full depth curb across ramp from outer point of curb taper to outer point of curb taper.
8. For pavement longitudinal and transverse joints and dowel and tie bar requirements and dimensions, refer to the "Pavement Construction Details for Joints and Curb".
9. For roadway cross slopes, pavement types, and thicknesses, refer to "Standard Typical Sections".
10. The intersection of two sidewalks or the intersection of a sidewalk and a driveway may serve as a wheelchair passing space on sidewalks less than 5 feet wide.
11. All curb ramps shall have a detectable warning complying with "Americans with Disabilities Act Accessibility Guidelines" (ADAAG).
12. All ramps must line up with the corresponding ramp on the other side of the street or intersection.
13. All truncated domes shall run parallel to the road that it's crossing.
14. Truncated warning domes shall not be stamped and will be an ADA approved product.

CITY OF O'FALLON
ENGINEERING DEPARTMENT
O'FALLON, MISSOURI

PAVEMENT CONSTRUCTION DETAILS
CONCRETE SIDEWALK AND CURB RAMPS



CVS pharmacy

111 NORTHERN 13,225-LEFT CHAMFER DRIVE-THRU

STORE NUMBER: 10134

PROJECT TITLE: CVS VETERAN'S MEMORIAL PARKWAY & HWY. K O'FALLON, MO

PROJECT TYPE: NEW CONSTRUCTION

DEAL TYPE: Fee for Service/Land/Type B

PROJECT NUMBER: 52332

NORR

ARCHITECTS ENGINEERS PLANNERS

719 Grandview Street
Ann Arbor, MI 48106
(313) 963-9113

PREMIER CIVIL ENGINEERING

308 TOWN Court
Leola, South Carolina 29557
Phone: (814) 925-7444 Fax: (814) 925-7457
Missouri Certificate of Authority # S-2011000031
Missouri Certificate of Authority # S-20110007849

ENGINEERS AUTHENTICATION

The responsibility for professional engineering liability on this project is hereby limited to the extent authorized by the seal, signature, and date hereon attached. Responsibility is disclaimed for all other engineering plans developed by the project and specifically excludes revisions after this date unless manufactured.

STATE OF MISSOURI
PROFESSIONAL ENGINEER
NUMBER 11111

STEVE MARINO P.E.
ENGINEER
HC00000015

Developer / Owner Information

T.M. CROWLEY & ASSOCIATES

Construction Details

P+Z No. 20-13
APPROVED 9-5-13
City No.

Sheet Number:

17

PCE PROJECT NO. 094201