

ROUND PIPE				HORIZONTAL ELLIPTICAL PIPE			
Inside Diameter of Pipe (Feet)	Outside Diameter of Pipe (Feet)	Thickness of Pipe (Inches)	Weight per Foot (Lbs)	Inside Diameter of Pipe (Feet)	Outside Diameter of Pipe (Feet)	Thickness of Pipe (Inches)	Weight per Foot (Lbs)
4	4.5	0.25	5.80				
6	6.5	0.25	8.60				
8	8.5	0.25	11.40				
10	10.5	0.25	14.20				
12	12.5	0.25	17.00				
14	14.5	0.25	19.80				
16	16.5	0.25	22.60				
18	18.5	0.25	25.40				
20	20.5	0.25	28.20				
22	22.5	0.25	31.00				
24	24.5	0.25	33.80				
26	26.5	0.25	36.60				
28	28.5	0.25	39.40				
30	30.5	0.25	42.20				
32	32.5	0.25	45.00				
34	34.5	0.25	47.80				
36	36.5	0.25	50.60				
38	38.5	0.25	53.40				
40	40.5	0.25	56.20				
42	42.5	0.25	59.00				
44	44.5	0.25	61.80				
46	46.5	0.25	64.60				
48	48.5	0.25	67.40				
50	50.5	0.25	70.20				
52	52.5	0.25	73.00				
54	54.5	0.25	75.80				
56	56.5	0.25	78.60				
58	58.5	0.25	81.40				
60	60.5	0.25	84.20				
62	62.5	0.25	87.00				
64	64.5	0.25	89.80				
66	66.5	0.25	92.60				
68	68.5	0.25	95.40				
70	70.5	0.25	98.20				
72	72.5	0.25	101.00				
74	74.5	0.25	103.80				
76	76.5	0.25	106.60				
78	78.5	0.25	109.40				
80	80.5	0.25	112.20				
82	82.5	0.25	115.00				
84	84.5	0.25	117.80				
86	86.5	0.25	120.60				
88	88.5	0.25	123.40				
90	90.5	0.25	126.20				
92	92.5	0.25	129.00				
94	94.5	0.25	131.80				
96	96.5	0.25	134.60				
98	98.5	0.25	137.40				
100	100.5	0.25	140.20				
102	102.5	0.25	143.00				
104	104.5	0.25	145.80				
106	106.5	0.25	148.60				
108	108.5	0.25	151.40				
110	110.5	0.25	154.20				
112	112.5	0.25	157.00				
114	114.5	0.25	159.80				
116	116.5	0.25	162.60				
118	118.5	0.25	165.40				
120	120.5	0.25	168.20				
122	122.5	0.25	171.00				
124	124.5	0.25	173.80				








TABLE NO. 1
MINIMUM WIDTHS OF TRENCH AND PAY - QUANTITIES OF CONCRETE

Metropolitan St. Louis Sewer District Standard Details of Sewer Construction

Dr. R.L. Ch. J.C.K. April 1979 Sheet 1

