PLAT FOUR

PLAT FOUR
CHERRYWOOD PARC
PLAT FOUR
SANITARY SEWER PROFILE
Rev. 8/26/96

Scale: Horiz.-1"=50'
Vert.-1"=10'

FINAL SURVEY — SURVEYED, PLOTTED, TEMPLATE, AREAS, AREAS CHECKED — BY, DATE — NOTE BOOK, NO.

MH 315 — Build MH over exist. sewer — Sweep Invert — 543.3 — Ex. I.E.- 524.86 (Calc'd From Cherrywood Parc Plat Two As-Builts) — Lot 220 - 536.7

MH 316 — 541.5 — 536.96 — Lot 204 - 541.0 — Lot 205 - 541.0

MH 317 — 550.5 — Granular Fill (Typ.) — 541.10 — Lot 203 - 538.1 — Lot 202 - 538.6 — Lot 201 - 538.6 — 15" Storm Sewer — Lot 200 - 540.11

MH 318 — Sweep Invert — 546.1 — Existing Ground (Typ.) — 546.54 — 544.54

Proposed Grade (Typ.)

MH 319 — Sweep Invert — 546.16 — 547.55 — 549.02 — Lot 190 - 550.0 — Lot 191 - 549.8

MH 321 — 551.85 — Lot 195 - 551.0 — Lot 196 - 552.0

MH 322 — 554.5 — 553.91 — Lot 178 - 555.4 — Lot 179 - 553.8 — Lot 177 - 556.9 — Lot 176 - 553.6 — Lot 180 - 540.3 — Lot 181 - 544.9

MH 323 — Sweep Invert — 574.30 — 561.30 — 563.30 — Lot 165 - 571.4

MH 324 — 579.6 — Lot 145 — 572.7 — 571.00

171.32'-8" P.V.C.	@0.059'/ft.
105.00'-8" P.V.C.	@0.0394'/ft
171.61'-8" P.V.C.	@0.02'/ft
274.00'-8" P.V.C.	@0.011'/ft.
215.0' - 8" P.V.C.	@0.02'/ft.
103.0' 8" P.V.C.	@0.02'/ft.
201.05'-8" P.V.C.	@0.0367'/ft.
110.00'-8" P.V.C.	@0.07'/ft.

Note: Existing Sanitary Service Shall not be interrupted.

ORIGINAL SURVEY — SURVEYED, PLOTTED, TEMPLATE, AREAS, AREAS CHECKED — BY, DATE — NOTE BOOK, NO.

MH 318 — 546.54 — 544.54 — Lot 208 - 550.5 — Lot 177 - 552.9 — Lot 209 - 553.5 — Lot 192 - 556.6 — Lot 210 - 557.1 — Lot 191 - 560.5 — Lot 211 - 561.0 — Lot 212 - 562.4 — Lot 189 - 562.8

MH 325 — 574.00 — 568.50 — Lot 164 — 571.9 — 567.00 — Lot 161 - 564.6 — Lot 196 - 566.0 — Lot 162 - 568.9 — Lot 163 - 570.8

MH 326 — 576.80

365.00'-8" P.V.C.	@0.0415'/ft
263.00'-8" P.V.C.	@0.0133'/ft

PLAT FOUR

MH 319 — Sweep Invert — 560.16 — 547.55 — 549.02 — Lot 192 - 558.1 — Lot 184 - 561.6 — Lot 148 - 561.6 — Lot 183 - 564.2 — Lot 194 - 564.9

MH 327 — 574.0 — 560.00 — Lot 182 - 568.6 — Lot 195 — 568.0

280.00'-8" P.V.C.
@0.0606'/ft.

PLAT FOUR

MH 319 — 560.16 — 549.02 — 547.55

MH 328 — 551.0 — Lot 187 — 550.6 — Lot 188 — 549.7 — 548.50 — Lot 189 - 547.8

Note: Critical crossing w/Storm sewer, lay at minimum 2%

105' 8" P.V.C.
@0.01'/ft.

PLAT FOUR

4/17

HIGHWAY FEGERAL AID SHEET
PLATE 3-FULL CROSS SECTION-FULL SIZE
NATIONAL PRINTRITE
PRINTED IN U.S.A.