



NOTE: ALL ELEVATIONS ON THIS DETAIL ARE RELATIVE TO FFE = 0'
13 DRIVE-THRU PLAN
 NOT TO SCALE





NOTE: 1. GENERAL CONTRACTOR SHALL REFERENCE GEOTECHNICAL REPORT FOR PAVEMENT SECTION REQUIREMENTS.
14 DRIVE-THRU ISOMETRIC
 NOT TO SCALE


- NOTES:
- MATERIAL: SOLID POLYETHYLENE
 - WHEEL STOP COLOR: YELLOW
 - MANUFACTURER - PLASTICS-R-UNIQUE, INC. 352 MILL STREET WADSWORTH, OH 44281 CONTACT - BOBBIE PERTIE 330-334-4820 PHONE 330-334-4720 FAX
 - USE ONLY MANUFACTURER SUPPLIED LAGS AND SPIKES
 - PRE-DRILL HOLES THROUGH PARKING SURFACES (3/4" BIT FOR LAGS AND 3/8" BIT FOR SPACES)
 - FILL PRE-DRILLED HOLES WITH HEAVY DUTY CONSTRUCTION ADHESIVE SUCH AS PL400




(3) 8" LAGS FOR CONCRETE PAVEMENT OR 12" GALVANIZED PLATED SPIKES FOR ASPHALT PAVEMENT REQUIRED FOR EACH WHEEL STOP. SEE MANUFACTURER'S INSTRUCTIONS FOR INSTALLATION.
15 SOLID PLASTIC WHEEL STOP
 NOT TO SCALE



16 LANDSCAPE & IRRIGATION PROTECTOR
 NOT TO SCALE
 NOTE: 1. GENERAL CONTRACTOR SHALL REFERENCE GEOTECHNICAL REPORT FOR PAVEMENT SECTION REQUIREMENTS.




17 24\"/>




NOTE: 1. GENERAL CONTRACTOR SHALL REFERENCE GEOTECHNICAL REPORT FOR PAVEMENT SECTION REQUIREMENTS.
 2. EXPANSION JOINT FILLER SHALL BE FLEXIBLE, LIGHTWEIGHT, NON-STAINING, POLYETHYLENE, CLOSED-CELL EXPANSION JOINT
18 ROLLOVER/MOUNTABLE CURB
 NOT TO SCALE


- REFUSE ENCLOSURE PLANS GENERAL NOTES:
- SEE SITE PLAN FOR LAYOUT OF CONCRETE LOADING PAD.
 - SEE GRADING PLAN FOR ELEVATIONS ON DUMPSTER PAD AND DRAINAGE OF INTERIOR TRASH ENCLOSURE.
 - PROVIDE POSITIVE DRAINAGE ON APPROACH PAD AWAY FROM DUMPSTER.
 - SEE ARCHITECTURAL PLANS FOR ADDITIONAL DETAILS ON TRASH ENCLOSURE.
 - GENERAL CONTRACTOR SHALL DRILL HOLES FOR GATE PINS IN BOTH THE OPEN AND CLOSED POSITION.




19 SIMILAR REFUSE ENCLOSURE FOUNDATION PLAN
 NOT TO SCALE



19A REFUSE ENCLOSURE FOUNDATION PLAN (ALT)
 NOT TO SCALE



20 REFUSE ENCLOSURE ALTERNATE DRAINAGE PLAN
 NOT TO SCALE



NOTE: BOLLARD HEIGHT SHALL BE 5'-0" AT DRIVE-THRU WINDOW
21 BOLLARD
 NOT TO SCALE

CHICK-FIL-A
 OFALLON, MO
 (#2645)
 FSR S08N-144-R
 2106 HIGHWAY K
 O'FALLON, MO
 63366

GBC DESIGN, INC.
 8378 W. Market St.
 Akron, OH 44333-3386
 Phone 330-836-0228
 Fax 330-836-5752

ENGINEER
 SIGNATURE
 BLOCK
 GARY R. ROUSE
 PROFESSIONAL ENGINEER
 3/21/11

CHICK-FIL-A
 5200 BUFFINGTON RD.
 ATLANTA, GA 30349-2998
 24 HOUR EMERGENCY CONTACT:
 SCOTT D. PATMAN PH-404-305-4594

P+Z No. 1810.01
 City No.
 Page No.
C-4.1

CHICK-FIL-A CIVIL CONSTRUCTION DETAILS