

- CONSTRUCTION SPECIFICATIONS**
1. Stone Size: Use 2" stone or reclaimed or recycled concrete equivalent.
  2. Length: As required, but not less than 50 feet (except on a single residence lot where a 30 foot minimum length would apply).
  3. Thickness: Not less than six (6) inches.
  4. Width: twenty six (26) foot minimum, but not less than the full width at points where ingress or egress occurs.
  5. Filter Cloth: Will be placed over the entire area prior to placing of the stone. Filter will not be required on a single family residence lot.
  6. Surface Water: All surface water flowing or diverted toward construction entrances shall be piped across the entrance. If piping is impractical, a mountable berm with a 5:1 slope will be permitted.
  7. Maintenance: The entrance shall be maintained in a condition which will prevent tracking or flowing of sediment onto a public right-of-way. This may require periodic top dressing with additional stone as conditions demand and repair and/or cleanup of any measures used to trap sediment. All sediment spilled, dropped, washed or tracked onto the public right-of-way must be removed immediately.
  8. Washing: Wheels shall be cleaned to remove sediment prior to entrance onto the public right-of-way. When washing is required, it shall be done on an area stabilized with stone and which drains into an approved sediment trapping device.
  9. Periodic inspection and needed maintenance shall be provided after each rain.

**STABILIZED CONSTRUCTION ENTRANCE**  
N.T.S.

**APPENDIX A**

**Seeding Rates:**  
**Permanent:**  
 Tall Fescue - 30 lbs./ac.  
 Smooth Brome - 20 lbs./ac.  
 Combined: Fescue @ 15 lbs./ac. and Brome @ 10 lbs./ac.  
**Temporary:**  
 Wheat or Rye - 150 lbs./ac. (3.5 lbs. per square foot)  
 Oats - 120 lbs./ac. (2.75 lbs. per square foot)


**Seeding Periods:**  
 Fescue or Brome - March 1 to June 1  
 August 1 to October 1

**Wheat or Rye - March 15 to November 1**  
**Oats - March 15 to September 15**

**Mulch rates:** 100 lbs. per 1,000 sq. ft. (4,356 lbs. per acre)

**Fertilizer rates:** Nitrogen 30 lbs./ac.  
 Phosphate 30 lbs./ac.  
 Potassium 30 lbs./ac.  
 Lime 600 lbs./ac. ENM\*


\*ENM = effective neutralizing material as per State evaluation of quarried rock.



**APPENDIX D**

**MAINTENANCE**

1. Filter barriers shall be inspected immediately after each rainfall and at least daily during prolonged rainfall. Any required repairs shall be made immediately.
2. Should the fabric decompose or become ineffective prior to the end of the expected usable life and the barrier still be necessary, the fabric shall be replaced promptly.
3. Sediment deposits should be removed after each storm event. They must be removed when deposits reach approximately half the height of the barrier.
4. Any sediment deposits remaining in place after the sil fence or filter barrier is no longer required shall be dressed to conform with the existing grade, prepared and seeded.



**APPENDIX C**

**STRAW BALE BARRIERS**  
For Urban Development Sites

**APPENDIX C**

1. Excavate a trench 4' deep and the width of a straw bale.
2. Place and stake straw bales, two stakes per bale.
3. Wedge loose straw between bales to create a continuous barrier.
4. Backfill and compact the excavated soil as shown on the uphill side of the barrier to prevent piping.

**Placement and Construction of a Straw Bale Barrier**

**PLAN**

**ELEVATION**

Point "A" should be higher than Point "B"

**PICKETT RAY & SILVER**

CIVIL ENGINEERS  
PLANNERS  
LAND SURVEYORS

333 Mid Rivers Mall Drive  
St. Peters, MO 63376  
Phone (636) 397-1211  
Fax (636) 397-1104

**CROSSINGS INDUSTRIAL PHASE 2**  
**GRADING PLAN**  
**AND EROSION CONTROL DETAILS**

Prepared For:  
**SUMMIT POINTE L.C.**

238 FOX HILL ROAD  
ST. CHARLES, MO. 63301  
(636) 940-9300

REVISIONS NO.	DESCRIPTION	DATE
1	PER THE CITY OF O'FALLON	09/19/03
2	PER THE CITY COMMENTS	09/23/03
3	PER THE CITY OF O'FALLON	10/09/03
4	PER THE CITY OF O'FALLON: PHASE LINE, DRAINAGE ARROW, & CURB	10/14/03

DRAWN	E.J.S.	DATE	03/20/03
CHECKED	D.W.D.	DATE	03/20/03
PROJECT #	01212.SUPO.01R		
TASK #	2	FIELD BOOK	826

**SHEET 3 OF 9**

Copyright 2003 by Pickett, Ray & Silver Inc.

I:\3\server\proj\Projects\01212\INDCORT.dwg, 10/14/2003, 4:18:47 PM, JACOB