

FIRE ALARM ZONES
 SOUTH AREA - CLASSROOMS
 NORTH AREA - GYM, KITCHEN, KINDERGARTEN
 WATER FLOW SWITCHES
 TAMPER SWITCHES

FIRE ALARM CABLES
 A - ZONE CABLES - TECH #272
 B - ALARM CABLES - 2 #12-TANN
 C - NOT USED
 D - DOOR HOLDER CIRCUIT 2 #12-TANN

POWER FLOOR PLAN
 SCALE: 1/8" = 1'-0"


INTERCOM CABLES
 A - STATION CABLE
 B - CORRIDOR SPEAKER CABLE
 C - CLOCK CORRECTION CABLE

FIRE ALARM CABLES
 5 A CABLES OR LOSS - 3/4" C
 6 - B A CABLES - 1" C
 9 OR MORE A CABLES - 1 1/4" C

NOTES

- RECEPTACLE UNDER COUNTER FOR INTERCOM CONSOLE
- TO AUDITORIUM AMPLIFIER IN OFFICE
- 60A/3P WP/NF DISCONNECT SWITCH
- 30A/3P WP/NF DISCONNECT SWITCH
- CONNECT COT. 23 TO HW DISPENSER AT SINK

PICKETT RAY & SILVER civil engineers
 SOIL CONSULTANTS INC soil engineers
 L. WEINTRAUB & ASSOC structural engineers
 THOMAS BERKELEY mechanical engineers



the DMA corporation
 Design & Management Associates
 314-946-2060 202 Transit Street St. Charles, Mo. 63301

NEW ELEMENTARY SCHOOL
 ft. zumwalt school district
 o'fallon missouri

POWER FLOOR PLAN

Revisions:		Job No. 602108
△	△	E-2
△	△	
△	△	
△	△	
Date: 7-7-86		Copyright DMA Corporation