


- GENERAL NOTES:**
- Existing sanitary sewer service shall not be interrupted.
 - Connection to Duckett Creek Sanitary District (DCSD) sanitary sewer requires RCSD inspection. Contact DCSD Chief Inspector, Mr. Steve Overby, at 636-441-1244 to schedule inspection. 24-hour notice is required.
- DUCKETT CREEK SANITARY DISTRICT ABANDONMENT NOTES:**
- Duckett Creek Sanitary District (DCSD) inspection, coordination, and approval is required for abandonment of existing sanitary sewer main.
 - Existing sanitary sewer service shall not be interrupted.
 - Existing sanitary sewer main shall not be abandoned until replacement system is installed, inspected and approved by DCSD Field Inspector.
 - Recorded abandonment is required for replacement sewer prior to abandonment of existing sanitary sewer.
 - Sewer to be abandoned shall be filled with grout and securely blocked at any points of intake and discharge with a bulkhead or pre-formed plug as required by DCSD. Filling and plugging activities shall be witnessed by a DCSD Field Inspector. The Contractor will be allowed to remove that portion of sewer to be abandoned in lieu of filling and blocking.




The signed and sealed original of this drawing is on file at the offices of the Clayton Engineering Company, Inc. The signed and sealed original is the official document and shall take precedence over any digital version.

| NO. | DATE | REVISION |
|-----|------|----------|
| | | |
| | | |

UTILITY PLAN
SKILLED CARE EXPANSION
 Highway N and Twin Chimneys Boulevard, Jefferson, Missouri 63368
 Prepared for:
DELMAR GARDENS ENTERPRISES, INC.
 14805 N. Outer 40
 Chesterfield, MO 63017
 636-733-7000

Copyright 2008
 Clayton Engineering Co.
 All Rights Reserved



the clayton engineering company, inc.
 ENGINEERS • SURVEYORS • PLANNERS
 4920 WESTLINE INDUSTRIAL DRIVE
 ST. LOUIS, MISSOURI 63146
 (314) 692-8888 FAX (314) 692-8688
 clayton-engineering.com

Designed: KVF
 Drawn: BKF
 Checked: MJV
 Date: 01/25/08
 Project Number: 00228.11
 Sheet Number: C-5 of 10