GENERAL NOTES:

1. Existing sanitary sewer service shall not be interrupted.
2. Connection to Duckett Creek Sanitary District (DCSD) sanitary sewer requires DCSD inspection. Contact DCSD Chief Inspector, Mr. Steve Overby, at 636-441-1244 to schedule inspection. 24-hour notice is required.

DUCKETT CREEK SANITARY DISTRICT ABAONDONMENT NOTES:

1. Duckett Creek Sanitary Sewer District (DCSD) inspection, coordination, and approval is required for realignment or abandonment of existing sanitary sewer main.
2. Existing sanitary sewer service shall not be interrupted.
3. Existing sanitary sewer main shall not be abandoned until replacement system is installed, inspected and approved by DCSD Field Inspector.
4. Recorded easementation is required for replacement sewer prior to abandonment of existing sanitary sewer.
5. Sewer to be abandoned shall be filled with grout and securely blocked at any points of intake and discharge with a bulkhead or pre-formed plug as required by DCSD. Filling and plugging activities shall be witnessed by a DCSD Field Inspector. The Contractor will be allowed to remove that portion of sewer to be abandoned in lieu of filling and blocking.

CITY OF O'FALLON
COMMUNITY DEVELOPMENT DEPARTMENT
ACCEPTED FOR CONSTRUCTION
BY: ____ DATE: 9-24-09
PROFESSIONAL ENGINEER'S SEAL INDICATES RESPONSIBILITY FOR DESIGN
New Handicapped Ramp Locations

RECEIVED
SEP 11 2009
BUILDING DEPARTMENT

The signed and sealed original of this drawing is on file at the offices of The Clayton Engineering Company, Inc. The signed and sealed original is the official document and shall take precedence over any digital version.

1	10/21/08	RKF	Revised Courtyard Area

REVISIONS

UTILITY PLAN

SKILLED CARE EXPANSION

Highway N and Twin Chimneys Boulevard — O'Fallon, Missouri 63366

Prepared for:

DELMAR GARDENS ENTERPRISES, INC.
14805 N. Outer 40
Chesterfield, MO 63017
636-733-7000

Copyright 2009
Clayton Engineering Co.
All Rights Reserved

STATE OF MISSOURI — MICHAEL JAMES VELLOFF — NUMBER E-2000161862 — PROFESSIONAL ENGINEER
Michael James Velloff
Professional Engineer (PE-2000161862)

the clayton engineering company, inc.
ENGINEERS • SURVEYORS • PLANNERS
11920 WESTLINE INDUSTRIAL DRIVE
ST. LOUIS, MISSOURI 63146
(314) 692-8688 FAX: (314) 692-8688
Mo. Cert. of Authority – Prof. Engineering #000067 & Prof. Surveying #000014
clayton-engineering.com

Designed	RKF
Drawn	RKF
Checked	MJV
Date	01/29/08
Project Number	00228.11
Sheet Number	C-5 of 10

T.S. — P.B. — SUR. — FILE: G:\00XXX\00228-11\PLANS\SITEPLAN.DWG — PLOTTED: 09/09/09 07:15 — BY: KRF

File