

4'H. CHAINLINK FENCE ELEVATION

NO SCALE



PLAN

ELEVATION

SCREEN FENCE DETAIL

NO SCALE



PAINTED HANDICAPPED PARKING SYMBOL

NOT TO SCALE

STRAW BALES BARRIERS
FOR URBAN DEVELOPMENT SITES

APPENDIX C



ELEVATION POINT "B" POINTS "A" SHOULD BE

PLACEMENT AND CONSTRUCTION OF A STRAW BALE BARRIER



LIGHT POLE & BASE

NO SCALE

LIGHT TO BE SHIELDED DOWNWARD TO BE KEEP FROM OVERFLOW ONTO ADJACENT PROPERTIES AND R.O.W.



SPECIFICATIONS
HIGH IMPACT, HEAT RESISTANT PRISMATIC BOROSILICATE GLASS DIFFUSER HOUSED IN A DIE CAST ALUMINUM LENS FRAME.
250 WATT HIGH PRESSURE SODIUM LAMP
SEALED WEATHER RESISTANT HOUSING

BUILDING MOUNTED LIGHT

NO SCALE

12" X 18" SIGN

STANDARD SIGN FACE, STANDARD HIGHWAY DEPARTMENT, OR CITY STREET DEPARTMENT CAUSE, BLACK OR BLUE LETTERING. GALVANIZED STEEL POST 9'-6" LONG, SET 3'-0" INTO GRADE, SET BOTTOM OF SIGN 5'-0" ABOVE FINISHED GRADE.

HANDICAP PARKING SIGN

NOT TO SCALE



ASPHALT CURB & PAVEMENT DETAIL

NOT TO SCALE



PROVIDE 1/2" PREMOLDED EXPANSION JOINT FILLER AT 60' CENTERS
PROVIDE TOOLED CONTRACTION JOINTS AT 10' C.C.

TURNED DOWN CONCRETE WALK

NO SCALE



HANDICAPPED RAMP DETAIL

NOT TO SCALE



NOTES:
1. STRAW BALES, NOT HAY BALES SHALL BE USED.
2. BUTT ENDS OF BALES TIGHTLY TOGETHER.
3. INSTALL BALES WITH BINDING AROUND SIDES, NOT TOP AND BOTTOM.
4. FILL ANY GAP BETWEEN BALES BY WEDGING LOOSE STRAW BETWEEN THEM.

SILTATION BARRIER

NOT TO SCALE

PREPARED FOR: DEVELOPMENTAL LEARNING CENTER
304 WAVERLY PLACE
WENTZVILLE, MO 63385
(314) 332-5058

DISCLAIMER OF RESPONSIBILITY:
I hereby specify that the documents intended to be authenticated by my seal and limited to this sheet, and I hereby disclaim any responsibility for all other drawings, specifications, Estimates, Reports or other documents or instruments relating to or intended to be used for any part or parts of the architectural or engineering project or survey.

Copyright 1994
Bax Engineering Company, Inc.
All Rights Reserved

REVISIONS

10-18-96	CITY COMMENTS

ENGINEERING
PLANNING
SURVEYING

1052 South Cloverleaf Drive
St. Peters, MO. 63376-6445
314-928-5552
FAX 928-1716

10-18-96
DATE

95-7092
PROJECT NUMBER

2 OF 3
SHEET OF

7092CON
FILE NAME

DJB RLF
DRAWN CHECKED

C:\DWG\7092CON Fri Oct 18 15:00:14 1996 STATION 27