



**GENERAL NOTES**

- Do not scale drawing. Follow dimensions.
- Sidewalks and sidewalk curb ramps shall be constructed in accordance with these details and the current approved Amendments with Disabilities Act Accessibility Guidelines (ADAG).
- Provide a landing at the top of each straight ramp when the slope above curb (V) is greater than +2% and less than 7%. For other values of "V", including all negative (-) values, no landing is required.
- Minimum sidewalk width along 6" vertical curb shall be 5 feet. Minimum sidewalk width along 3" rolled curb shall be 4 feet.
- Maximum sidewalk cross slope 0.02'/ft.
- All sidewalk sections shall be 4" thick, except where indicated as 7" thick by shaded portions shown on details. All sidewalk sections and curb ramps, regardless of thickness, shall be paid for as Concrete Sidewalk.
- Where curb ramp meets pavement, bullnose will not be permitted.
- Construct a diagonal ramp when the maximum corner radius allowed for a straight ramp is exceeded.
- If monolithic concrete curb is constructed, strike a dummy joint across bottom of ramp at curb line. If concrete curb is dovetail-on, block out pavement to provide full depth curb across ramp from outer point of curb taper to outer point of curb taper.
- For sidewalk locations on Cal-De-Soca, refer to "Pavement Construction Details".
- For pavement longitudinal and transverse joints and tie bar requirements and dimensions, refer to the "Pavement Construction Details for Joints and Curbs", Std. Div. CS02.03.
- For roadway cross slopes, pavement types, and thicknesses, refer to "Standard Typical Section".
- All curb ramps shall have a detectable warning complying with Americans with Disabilities Act Accessibility Guidelines (ADAG).

01/13/03 PER CITY COMMENTS OF 01/12/04 (SHEET C6 ONLY)  
01/07/03 PER CITY COMMENTS OF 12/29/03  
12/15/03 PER CITY COMMENTS OF 12/04/03  
11/17/03 PER CITY COMMENTS OF 11/04/03 & AGENCY COMMENTS

**GODDARD SCHOOL - WINGHAVEN**  
**ENTRANCE WARPING & PAVEMENT DETAILS**

**STOCK & ASSOCIATES CONSULTING ENGINEERS, INC.**  
425 NORTH NEW BALLAS ROAD  
SUITE 165  
ST. LOUIS, MO. 63141  
PH. (314) 432-8100  
FAX (314) 432-8171  
e-mail: general@stockassoc.com

P&Z 9831.43.01

**STATE OF MISSOURI**  
**REGISTERED PROFESSIONAL ENGINEER**  
GEORGE MICHAEL STOCK  
NUMBER E-25116

DATE: 10/10/03  
CHECKED BY: G.M.S.  
JOB NUMBER: 203-3120  
SHEET: C6 of 9

C:\DRAWING\10100321\201\Plan\CD-IMP.dwg, 11/14/2004 8:57:47 AM