





ISSUE	REMARKS/DATE
1	2023-02-28 INITIAL SUBMITTAL
2	2023-04-03 REV PER CITY COMMENTS
3	2023-04-19 REV PER CITY COMMENTS
4	2023-04-27 REV PER CITY COMMENTS



R. STEPHEN BARNETT ET AL.  
 L.S. 6683 P.C. 324  
 4-0038-5008-00-0005.5  
 E. HIGHWAY N

- NOTES:**
1. MSL = MINIMUM LOW SILL ELEVATION
  2. ERP = EMERGENCY RELIEF PATH - SEE SHT DTL-12 FOR CALCULATIONS.
  3. WINDOW WELLS REQ'D - ALL BASEMENT WINDOWS ON THESE LOTS SHALL HAVE WINDOW WELLS WITH THE TOP OF WELL ELEVATION BEING HIGHER THE THE MSL WHEN INDICATED.
  4. ALL REAR YARD SWALES SHALL MAINTAIN A MINIMUM 2% SLOPE.
  5. ON A CORNER LOT, NOTHING SHALL BE ERECTED, PLACED, PLANTED OR ALLOWED TO GROW IN SUCH A MANNER AS TO MATERIALLY IMPEDIE VISION BETWEEN A HEIGHT OF THREE (3) AND FIFTEEN (15) FEET ABOVE THE GRADES WITHIN THE SIGHT TRIANGLE AREA AS SHOWN ON THESE PLANS. ADDITIONALLY, NOTHING SHALL BE ERECTED, PLACED, PLANTED OR ALLOWED TO GROW IN A MANNER TO MATERIALLY IMPEDIE THE LINE OF SIGHT NECESSARY FOR SAFE TRAVEL ALONG PUBLIC ROADWAYS.
  6. \* - DENOTES POSSIBLE EXTENDED FOUNDATION REQUIRED FOR HOUSE DUE TO SEWER ZONE OF INFLUENCE.
  7. AN "\*" WITH THE LOT NUMBER INDICATES A LOT WHICH IS MORE SUSCEPTIBLE TO STREET MOVEMENT.
  8. A 4" PERFORATED UNDER-DRAIN SYSTEM SHALL BE PLACED AT ALL STORM INLETS IN THE STREET.
  9. ALL STORM SEWERS, SANITARY SEWERS AND WATER MAINS SHALL NOT BE PLACED ANY CLOSER THAN TEN (10) FEET FROM THE FRONT OF ANY PROPOSED BUILDING.

THE UNDERGROUND UTILITIES SHOWN HEREON WERE PLOTTED FROM AVAILABLE INFORMATION AND DO NOT NECESSARILY REFLECT THE ACTUAL EXISTENCE, NONEXISTENCE, SIZE, TYPE, NUMBER OR LOCATION OF THESE OR OTHER UTILITIES. THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THE ACTUAL LOCATION OF ALL UNDERGROUND UTILITIES SHOWN OR NOT SHOWN, AND SAID UTILITIES SHALL BE LOCATED IN THE FIELD PRIOR TO ANY GRADING, EXCAVATION OR CONSTRUCTION OF IMPROVEMENTS. THESE PROVISIONS SHALL IN NO WAY ABSOLVE ANY PARTY FROM COMPLYING WITH THE UNDERGROUND FACILITY SAFETY AND DAMAGE PREVENTION ACT, CHAPTER 319, RSMo

## PLAN APPROVAL FOR STORM BYPASS PIPING ONLY

**PROJECT TITLE**  
**HARVEST AT HOPEWELL**  
 OF FALLON, MISSOURI

**THE STERLING CO.**  
**ENGINEERS & SURVEYORS**  
 6055 New Baumgartner Road  
 St. Louis, Missouri 63129  
 Ph 314-487-0440 Fax 314-487-8944  
 www.sterling-eng-sur.com  
 Corporate Certificate of Authority #001348



Date: 04-27-2023  
 Michael G. Boering, PE  
 License No. MO E-28643  
 Professional Engineer

**HARVEST HOPEWELL, LLC**  
 5091 New Baumgartner Road  
 St. Louis, Missouri 63129

P+Z No. 21-004994  
 City No. 21-011444  
 Date: 04/27/2023  
 Job No. 20-09-327  
 Page No.

**2.3**  
 Partial Storm

Drawing name: V:\2020\9227 Highway N Acropolis\Drawings\Engineering\Improvements\9227 IMP FOR PRINTING.dwg Plotted on: Apr 27, 2023, 8:40am Plotted by: Aukhanbas