



MANHOLE ACCESS
SEE MSD STD. DRAWING
48 & 49




DETENTION STRUCTURE
N.T.S.


SECTION A-A




RIGID PAVEMENT CONSTRUCTION
NOTE: REFER TO GEOTECHNICAL REPORTS BY GEOTECHNOLOGY, INC. FOR ALL SPECIFICATIONS.
PAVING DETAILS




CURB DETAIL
SCALE: 3/4"=1'-0"



CONCRETE SWALE DETAIL
N.T.S.




TRAFFIC FLOW ARROW DETAIL




HANDICAP SYMBOL DETAIL
N.T.S.




BIKE PATH PARKING SIGN DETAIL
N.T.S.



BASE DETAIL IN PAVED AREAS
N.T.S.




HANDICAP PARKING SIGN DETAIL
N.T.S.




WATER MAIN BEDDING DETAIL
N.T.S.


- NOTES:
- FOR ALL DEPTHS OF COVER LESS THAN TWO (2) FEET, PIPE MUST BE SCHEDULE 40 PVC. FOR DEPTHS OF COVER GREATER THAN TWO (2) FEET, FLEXIBLE PIPE MAY BE USED. REFER TO SPECIFICATIONS FOR ALLOWABLE PIPE TYPES.
 - A WATERTIGHT CONNECTION SHALL BE MAINTAINED WITH ANY TRANSITION FROM SCHEDULE 40 PVC PIPE TO ANY OTHER PIPE TYPE.
 - THE DOWNSPOUT COLLECTOR DRAIN SHALL BE INSTALLED BEFORE THE DOWNSPOUTS ARE INSTALLED ON THE BUILDING. SIEWORK CONTRACTOR SHALL BE RESPONSIBLE FOR ALL WORK TO AND INCLUDING THE RODENT SCREEN. BUILDING CONTRACTOR SHALL BE RESPONSIBLE FOR THE CONNECTION AT THE POINT OF THE RODENT SCREEN.




DOWNSPOUT COLLECTOR
N.T.S.




REINFORCED CONCRETE PIPE BEDDING DETAIL
N.T.S.



CLEAN OUT DETAIL
N.T.S.
(WITHIN LIMITS OF PAVEMENT)



PVC OR CPP PIPE BEDDING DETAIL
N.T.S.



FENCE DETAIL
N.T.S.

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEARS ON THIS DRAWING ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS DRAWING AND DISCLAIMS (PURSUANT TO SECTION 324.411 RSMO) ANY RESPONSIBILITY FOR ALL OTHER TECHNICAL SPECIFICATIONS, ESTIMATES, REPORTS OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY UNDERSIGNED PROFESSIONAL ENGINEERING. THIS DRAWING IS TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS DRAWING REFERS.

James B. Becker
PROFESSIONAL ENGINEER
5-4-99

DATE	REVISIONS
02/27/99	REVISED
04/08/99	REVISED
05/03/99	REVISED
06/03/99	REVISED

DEVELOPER
THE HOME DEPOT
O'FALLON, MISSOURI

James B. Becker
CONSULTING ENGINEERS
PHONE (314) 638-8892
ST. LOUIS, MISSOURI 63123
FAX (314) 638-8897
9849 GRAYSON ROAD
SUITE A

DETAIL SHEET

ISSUE DATE: 05/03/99
DRAWN BY: MEM
DATE: 02/10/99
CHECKED BY: MLO
DATE: 02/10/99
SCALE: 1" = 60'
JOB NUMBER: 4625
SHEET NUMBER: D1