



"T" = WALL THICKNESS
**DETAIL OF KEYED
 CONST. JOINT**
 NO SCALE




STRAW BALE DETAIL


- SILTATION CONTROL DEVICE NOTES**
1. Siltation Control Devices to remain in place until adequate vegetative growth insures no further erosion of the soil.
 2. Siltation fences shall be inspected periodically for damage and for the amount of sedimentation which has accumulated. Removal of sediment will be required when it reaches 1/2 the height of the siltation fence.
 3. Straw bales shall be inspected periodically for deterioration. Bales which have rotted or failed shall be replaced.
 4. Attachment of Welded Wire Fence and Geotextile Fabric to be in accordance with the manufacturer's recommendation.



SILTATION FENCE DETAIL



TYPICAL CULVERT SECTION UNDER PAVEMENT



TYPICAL CULVERT SECTION NOT UNDER PAVEMENT OR PUBLIC R.O.W.

Engineer
 LEONARD W. LAMM
 NUMBER
 E-23897
 Date: JAN 0 0

THE ENGINEER WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY FOR THE DESIGN AND CONSTRUCTION OF THIS PROJECT AND SHALL BE RESPONSIBLE FOR ALL OTHER PLANS OR INSTRUMENTS OR INSTRUMENTS NOT OTHERWISE SPECIFIED.

REITZ & JENS, INC.
 CONSULTING ENGINEERS
 1055 CORPORATE SQUARE DRIVE
 ST. LOUIS, MISSOURI 63132
 (314) 993-4132

THE HOME DEPOT
 STORE #3015
 1505 LINWAY 1/2

RELIEF CULVERT

REVISION

11/21/02 Arc

SHEET 4

7-15-02