


ALL INSTALLATIONS AND CONSTRUCTION OF THE SANITARY SEWER SHALL CONFORM TO THE APPROVED ENGINEERING DRAWINGS. HOWEVER, IF THE DEVELOPER CHOOSES TO MAKE MINOR MODIFICATIONS IN DESIGN AND/OR SPECIFICATIONS DURING CONSTRUCTION, HE/SHE SHALL MAKE SUCH CHANGES AT HIS/HER OWN RISK, WITHOUT ANY ASSURANCE THAT THE CITY ENGINEER WILL APPROVE THE COMPLETED INSTALLATION OR CONSTRUCTION. IT SHALL BE THE RESPONSIBILITY OF THE DEVELOPER TO NOTIFY THE CITY ENGINEER OF ANY CHANGES FROM THE APPROVED DRAWINGS. THE DEVELOPER MAY BE REQUIRED TO CORRECT THE INSTALLED IMPROVEMENTS SOAS TO CONFORM TO THE APPROVED ENGINEERING DRAWINGS. THE DEVELOPER MAY REQUEST A LETTER FROM THE CONSTRUCTION INSPECTION DIVISION REGARDING ANY FIELD CHANGES APPROVED BY THE CITY INSPECTORS.

ALL SANITARY LATERALS SHALL BE CONSTRUCTED OF SCHEDULE 40 PVC AND LAIN AT A MINIMUM OF 2%
 ALL SANITARY LATERALS AND SANITARY MAINS THAT CROSS UNDER THE PAVEMENT MUST HAVE PROPER GRANULAR BACKFILL AND REQUIRED COMPACTION

H:\CAD\24400\24400-22489\24400\mp\Plans\22450 - C22 Sanitary Sewer.dgn - Master Model 3/7/2022, 2:46:58 PM - Plotted by jenkins - Plot Scale: 50.000000 - 1" = 50' - Plot Driver: vcr25 PDF.plt - Pn: Table: vcr25 - PDF.tbl



VOIZ Incorporated
 ENGINEERS
 LAND PLANNING
 LAND SURVEYING
 TRANSPORTATION
 MANAGEMENT
 10848 Indian Head Trl. Blvd.
 St. Louis, Missouri 63132
 314-426-6212 Main
 www.voizinc.com
 Authority #203



TIMOTHY J. MEYER
 Professional Engineer
 MO E-24665

INVERNESS

SANITARY SEWER
 1575 BRYAN RD.
 Project # 22450

PHASE 3
 01/20/2022
C22