


See Tapping Sleeve Valve  
Combination Detail on  
Sheet 1B

Underground utilities have been plotted from available information and therefore their locations shall be considered approximate only. The verification of the location of all underground utilities, either shown or not shown on these plans, shall be the responsibility of the contractor, and shall be located prior to any grading and or construction of improvements.


**ENTRANCE DETAIL**  
SCALE: 1"=30'

SCALE: 1"=30'

8" Non Reinforced Conc. Pipe  
with 4" Type 3 Aggr. Base  
or  
8" Type 1 Aggr. Base with  
3" Type "C" Asph. Overlay  
to be Laid in 2 1/2" Lifts



SCALE: 1"=50'



**TYPICAL LOT**

Property n/f of  
Anthony & Martha Keeven, h/w  
912/1530

Property n/f of  
M & W Gardens, Inc.  
1168/1436

Property n/f of  
James J. Ruhr & Deborah E. Ruhr h/w  
881/1549

Property n/f of  
Paul & Leonard Kaplan  
1004/1448  
1004/1438

NOTE: No fill is to be placed within the floodway limits.  
Minimum Basement Elevation shall be 2 feet above the  
FEMA 100 Year Flood Plain Elevation (Base Flood  
Elevation - BFE)



Property n/f of  
Mary Dickherber  
457/120

Property n/f of  
Mary Dickherber  
457/120