


**STORM SEWER PROFILE**  
 SCALES:  
 HORIZ. 1"=50'  
 VERT. 1"=10'

- CITY OF O'FALLON NOTES:**
1. ALL STORM SEWER STRUCTURES AND PIPE RUNS WILL BE PUBLIC UNLESS OTHERWISE NOTED.
  2. PROVIDE COMPACTED GRANULAR BACKFILL TO ALL STORM SEWER TRENCHES THAT CROSS THE PAVEMENT, LIE WITHIN TEN (10) FEET OF THE EDGE OF PAVEMENT AND/OR THE 1:1 SHEAR PLANE OF THE PAVEMENT.
  3. WHEN PIPE SLOPES EXCEED 20%, A CONCRETE COLLAR WILL BE REQUIRED AT EACH PIPE JOINT.

**PROJECT TITLE:**  
**KEYSTONE  
 RIDGE**

**ENGINEERING**  
**PLANNING**  
**SURVEYING**  
 221 Point West Blvd.  
 St. Charles, MO 63301  
 636-928-0582  
 FAX 636-928-1718



DISCLAIMER OF RESPONSIBILITY  
 I hereby specify that the documents intended to be authorized by my seal are limited to this sheet, and I hereby disclaim any responsibility for all other drawings, specifications, estimates, reports or other documents or instruments relating to or intended to be used for any part or parts of the architectural or engineering project or work.

STATE OF MISSOURI  
 CLIFFORD L. HEITMANN  
 NUMBER  
 E-29817  
 CIVIL ENGINEER

Copyright 2017  
 Box Engineering Company, Inc.  
 Authority No. 000555  
 All Rights Reserved

**REVISIONS**

DATE	REVISION
05/01/17	CITY COMMENTS
07/20/17	CITY COMMENTS
08/07/17	CITY COMMENTS
08/21/17	CITY COMMENTS
08/31/17	CITY COMMENTS
10/02/17	CITY COMMENTS

**Developer / Owner:**  
 KEYSTONE RIDGE LAND, LLC  
 10328 LAKE BLUFF DRIVE  
 ST. LOUIS, MO 63123  
 314-892-3030 EXT. 121

**P+Z No.** #32-16  
**City No.** #  
**Page No.** 17 of 33

**STORM SEWER PROFILES**

Box Project # 16-1657 Issue Date: 02/20/2017