


- CITY OF O'FALLON NOTES:**
- ALL STORM SEWER STRUCTURES AND PIPE RUNS WILL BE PUBLIC UNLESS OTHERWISE NOTED.
 - PROVIDE COMPACTED GRANULAR BACKFILL TO ALL STORM SEWER TRENCHES THAT CROSS THE PAVEMENT, LIE WITHIN TEN (10) FEET OF THE EDGE OF PAVEMENT AND/OR THE 1:1 SHEAR PLANE OF THE PAVEMENT.
 - WHEN PIPE SLOPES EXCEED 20%, A CONCRETE COLLAR WILL BE REQUIRED AT EACH PIPE JOINT.

PROJECT TITLE:
KEYSTONE RIDGE



ENGINEERING PLANNING SURVEYING
 221 Point West Blvd.
 St. Charles, MO 63301
 636-928-5552
 FAX 636-928-1718

DISCLAIMER OF RESPONSIBILITY:
 I hereby specify that the documents intended to be filed herewith by my seal are limited to this sheet, and I hereby disclaim any responsibility for all other drawings, specifications, estimates, reports or other documents or instruments relating to or intended to be used for any part or parts of the architectural or engineering project or survey.

CLIFFORD L. HEITMANN
 NUMBER E-29817
 CLIFFORD L. HEITMANN
 CIVIL ENGINEER
 E29817

Copyright 2017
 Box Engineering Company, Inc.
 Authority No. 000655
 All Rights Reserved

REVISIONS

DATE	CITY COMMENTS
05/01/17	CITY COMMENTS
07/20/17	CITY COMMENTS
08/07/17	CITY COMMENTS
08/21/17	CITY COMMENTS
08/31/17	CITY COMMENTS
10/02/17	CITY COMMENTS

Developer / Owner:
 KEYSTONE RIDGE LAND, LLC
 10328 LAKE BLUFF DRIVE
 ST. LOUIS, MO 63123
 314-892-3030 EXT. 121

STORM SEWER PROFILES

P+Z No. #32-16
City No. #
Page No. 18 of 33

Box Project # 16-16857 Issue Date: 02/20/2017