



- ALL CONDUIT RUNNING ON WALLS, TO BE RUN CONCEALED. CONDUIT MAY
 BE EXPOSED ABOVE ACCESSIBLE CEILING AND WHEN GOING DOWN OR UP WALL TO MAIN PANELBOARD., RECEPTACLES TO BE MOUNTED 1'-6" A.F.F. OR TO NEXT HIGHER MASONARY COURSE JOINT.
- 2. ALL CONDUIT TO BE A MINIMUM OF 3/4" UNLESS NOTED OTHERWISE.
- 3. ALL SECURITY ROUGH-IN LOCATIONS FOR ALL RELATED DEVICES TO BE COORDINATED WITH SECURITY CONTRACTOR FOR DIMENSIONS AND FINAL LOCATIONS BEFORE INSTALLING CONDUIT(S). SECURITY GATES, TIRE SHREEDERS, CAMERAS, CARD
- PVC SCHEDULE 40 TO TRANSITION TO CALVANIZED RIGID STEEL CONDUIT
 ABOVE GRADE. SPECIFICALLY UP TO POWER PANEL AND COMMUNICATION
 BOX, IN EACH GUARD SHACK, TO PREVENT DAMAGE.

KEYED NOTES:

- COORDINATE WITH SECURITY CONTRACTOR FOR FINAL LOCATION OF PAN/TILT/ZOOM CAMERAS ON FRONT AND REAR OF GUARD SHACK FOR EXTENSION OF POWER AND COMMUNICATIONS FROM THE NEMA-3R JUNCTION BOX'S ON THE ROOF.
- 2 12"x12"x6"D. NEMA-3R JUNCTION BOX MOUNTED TO ROOF FOR EXTENSION OF 120V POWER TO PANYTILT/ZOOM CAMERAS ON ROOF PARAPET. SEAL ALL PENETRATIONS THROUGH ROOF/ROOF MEMBRANE WATER TIGHT.
- 12"x12"x6"D. NEMA-3R JUNCTION BOX MOUNTED TO ROOF FOR EXTENSION OF COMMUNICATIONS
 TO PAN/TILT/ZOOM CAMERAS ON ROOF PARAPET. SEAL ALL PENETRATIONS THROUGH
 ROOF/ROOF MEMBRANE WATER TIGHT. (1) 2" CONDUIT TO PENETRATE THROUGH ROOF/
 ROOF MEMBRANE INTO ACCESSIBLE CEILING SPACE BELOW. BUSH CONDUIT.

 211 North Broadway, Suite 600
 St. Louis, MO 63102 USA
 T314.421.2000. F314.421.6073.
- PROVIDE (2) 4"x4"x2-1/2"D JUNCTION BOX'S MOUNTED ON THE INSIDE OF THE GUARD SHACK ABOVE ACCESSIBLE CEILING, (1) FOR POWER AND (1) FOR COMMUNICATIONS TO THE SIDE MOUNTED CAMERAS ON THE GUARD SHACK. COORDINATE TYPE OF CAMERA MOUNTING USED IN ORDER TO COORDINATE THE CONDUIT PENETRATION OUT OF THE BUILDING FOR THESE CAMERAS.




MASTERCARD O' Fallon Missouri Prepared for MASTERCARD INTERNATIONAL 12115 Lackland Road St. Louis, MO 63146 Contact Number:

HELLMUTH, OBATA + KASSABAUM, P.C.


620 Avenue Of The Americas New York, New York 10011 T212.741.1200. F212.633.1163.

All reproduction & intellectual property rights reserved ©2001 HOK In association with

EDM INCORPORATED STRUCTURAL, CIVIL, AND MEP ENGINEERS 220 Mansion House Center St. Louis, MO 63102-1902 T. 314.231.5485 F. 314.231.8167



WEST GUARD HOUSE SYSTEM PLAN (HIGH) SCALE 3/8" = 1'-0"



Date 19 DEC. 2001 Project Code 98-0478-001 CAD File E2.4.DWG

AS NOTED Scale

Original drawing sheet is 48" x 36"-Scale occardingly if reduced

WEST GUARD HOUSE SYSTEMS PLAN

Drawing Number E2.4