



VERIFICATION OF PIPE SLOPE

FOR SEWER PIPE (STORM, SANITARY AND COMBINED) WITH A DESIGN GRADE LESS THAN ONE PERCENT (1%), VERIFICATION OF THE PIPE GRADE WILL BE REQUIRED FOR EACH INSTALLED REACH OF SEWER PRIOR TO ANY SURFACE RESTORATION OR INSTALLATION OF ANY SURFACE IMPROVEMENTS. THE CONTRACTOR'S FIELD SUPERVISOR WILL BE REQUIRED TO PROVIDE DAILY DOCUMENTATION VERIFYING THAT THE AS-BUILT PIPE GRADE MEETS THE DESIGN GRADE THROUGH THE SUBMITTAL OF SIGNED CUT SHEETS TO THE CITY OF FALLON INSPECTOR UPON REQUEST.

FIELD SURVEYED VERIFICATION MUST BE MADE UNDER THE DIRECTION OF A LICENSED LAND SURVEYOR OR REGISTERED ENGINEER. THE CONTRACTOR WILL BE REQUIRED TO REMOVE AND REPLACE ANY SEWER REACH HAVING AN AS-BUILT GRADE WHICH IS FLATTER THAN THE DESIGN GRADE BY MORE THAN 0.1%. SEWERS WITH GRADES GREATER THAN THE DESIGN SLOPE MAY BE LEFT IN PLACE, PROVIDED NO OTHER SEWER GRADE IS REDUCED BY THIS VARIANCE IN THE AS-BUILT GRADE.

THE CITY OF FALLON ALSO RESERVES THE RIGHT TO REQUIRE THE CONTRACTOR TO REMOVE AND REPLACE ANY SEWER (AT ANY TIME PRIOR TO CONSTRUCTION APPROVAL) FOR WHICH THE AS-BUILT GRADE DOES NOT COMPLY WITH THE GRADE TOLERANCE STATED IN THE ABOVE PARAGRAPH.

THE SEWER CONTRACTOR SHALL BE RESPONSIBLE FOR ANY COSTS ASSOCIATED WITH THE FIELD VERIFICATION OF THE SEWER GRADE, OR REMOVAL AND REPLACEMENT OF THE SEWER PIPE OR ASSOCIATED APPURTENANCES.

No.	Date	Revision
1	10/24/2012	CITY COMMENTS / ADDENDUM #1
-	-	-
-	-	-
-	-	-
-	-	-

MERCY CLINIC - WINGHAVEN BLVD.
2223 Technology Dr.
O'Fallon, Missouri 63366

HEIDEMAN ASSOCIATES, INC.
13545 Barrett Parkway Drive p 314.822.2217
Suite 200 f 314.822.7858
St. Louis, Missouri 63021 www.zakcompanies.com
Contact: Dennis Pruitt
e-mail: ddpruit@zakcompanies.com

MERCY CLINIC - WINGHAVEN BLVD.

NAME: MICHAEL J. VELLOFF
LICENSE NUMBER: E-2000161862
SIGNATURE

THE SEAL OR NUMBER IS VALID ONLY IF THE SEALING APPLIES ONLY TO THE QUALITY ENGINEERING WORK. IT DOES NOT APPLY TO ANY OTHER WORK OR TO ANY OTHER PROFESSIONAL ENGINEERING WORK. THE SEALING IS NOT VALID FOR ENVIRONMENTAL, GEOTECHNICAL, GEOTECHNICAL INCLUDING BUT NOT LIMITED TO SLOPE STABILITY, STRUCTURAL, MECHANICAL, ELECTRICAL, FIRE PROTECTION, TRAFFIC ENGINEERING, SURVEYING, BOUNDARY AND TOPOGRAPHY, OR ARCHITECTURAL, BUILDING OR LANDSCAPE.

Mercy
1510-153209-0521

DATE: 2012-10-05
SCALE: NOTED

Developer / Owner Information
NAME: TEA PROPERTIES MISSOURI, LLC
ADDRESS: 600 WASHINGTON AVENUE, 15TH FLOOR
ST. LOUIS, MO 63101-1313
CONTACT: ELIZABETH A. MURPHY, C/O SANDBERG PHOENIX & VON GONTARD, P.C.
PHONE: (314) 446-4262
FAX: (314) 241-7604
E-MAIL: emurphy@sandbergphoenix.com

Sewer Profiles

P+Z No. 983162
Approved Sept. 6, 2012
Page No.

C8