


NOTE:  
SEE SHEET C7.1 FOR UTILITY PLAN ENLARGEMENT.

- DUCKETT CREEK SANITARY DISTRICT NOTES:
- EXISTING SANITARY SEWER SERVICE SHALL NOT BE INTERRUPTED.
  - CONSTRUCTION OF SANITARY SEWERS REQUIRES DCSD INSPECTION. CONTACT DCSD INSPECTION DEPARTMENT AT 636-441-1244 TO SCHEDULE INSPECTION. 48 HOUR ADVANCE NOTICE IS REQUIRED.
  - DCSD PLAN REVIEW & APPROVAL IS REQUIRED FOR LOTS 3 & 4 PRIOR TO CONNECTION TO SANITARY SEWERS.
  - FUTURE DEVELOPMENT (N.I.C.) REQUIRES DCSD PLAN REVIEW & APPROVAL PRIOR TO CONNECTION TO SANITARY SEWERS.

- PUBLIC WATER SUPPLY DISTRICT #2 WATER NOTES:
- ALL WATER MAINS, VALVES, FITTINGS, HYDRANTS, AND RELATED ITEMS ARE TO BE INSTALLED IN ACCORDANCE WITH THE CURRENT PWSD#2 OF ST. CHARLES COUNTY GUIDELINES AND SPECIFICATIONS AS APPROVED BY MoDNR REVIEW NO. 6050805-13.
  - PUBLIC WATER SUPPLY DISTRICT NO. 2 REQUIRES AT LEAST ONE (1) WEEK NOTICE BEFORE CONSTRUCTION BEGINS.
  - THE PROPOSED WATER MAIN EXTENSION WILL NEED TO BE TESTED PER THE WATER DISTRICT'S SPECIFICATIONS BEFORE IT IS ALLOWED TO BE CONNECTED AND PUT INTO SERVICE.
  - ALL PRIVATE FIRE HYDRANTS MUST BE PAINTED RED AND ALL PUBLIC FIRE HYDRANTS MUST BE PAINTED CHROME YELLOW PER THE WATER DISTRICT'S SPECIFICATIONS.

NO	REVISION DESCRIPTION	DATE
1	CLIENT/CITY/AGENCY COMMENTS	6/29/17
2	REVISED SANITARY SEWER ALIGNMENT	6/28/17
3	CLIENT/CITY/AGENCY COMMENTS	6/28/17
4	CLIENT/CITY/AGENCY COMMENTS	6/29/17

DEVELOPER/OWNER:  
**40 DD SPORTS, LLC**  
4160 EHLMANN ROAD  
ST. PETERS, MO 63376  
636-359-0621



MISSOURI RUSH  
SOCCER COMPLEX  
CALEDONIA DRIVE  
OFALLON, MO 63366

**COLE**  
CIVIL ENGINEERING / SURVEYING / PLANNING / LANDSCAPE ARCHITECTURE  
11515 5th Street  
Suite 200  
St. Louis, MO 63103  
314.994.9887 tel  
www.colellc.com

DESIGN/CALC BY	BSJ
DRAWN BY	BSJ
CHECKED BY	EWM
DRAWING SCALE	AS SHOWN
DATE	4/28/17
Job Number	16-0042-A
Sheet Number	C7.0

USER: Brian Johnson, TAB: Utility Overall  
DATE: June 20, 2017 - 11:34:45 AM  
DRAWING: S:\0085\16-0042\16-0042\0042-C-Plan\PlanSheets\Utility\16-0042-A.dwg