


- Riprap Notes:**
- ① 49 SY MSD Type 5 Rock Blanket
Length=25'
Width=14.5'
Depth=18"
 - ② 47 SY MSD Type 5 Rock Blanket
Length=24'
Width=14.5'
Depth=18"
 - ③ 55 SY MSD Type 5 Rock Blanket
Length=26.75'
Width=16.75'
Depth=18"
 - ④ 67 SY MSD Type 5 Rock Blanket
Length=30.38'
Width=16.75'
Depth=18"


Legend

- 15 Year Hydraulic Grade Line (HGL)
- ▨ Riprap per Sheet C5.0
- ▨ Limits of Granular Limestone and Screenings Backfill Material



- Notes:**
1. Class III RCP to be installed with O-Ring rubber type gaskets. See Utility Plan Sheet C5.0 for storm sewer notes.
 2. Crushed limestone and screenings backfill shown on profiles under pavement and within the 1:1 pavement shear plane, to pavement sub-grade, and between pipes at utility crossings.
 3. Crushed limestone and screenings backfill required in locations of rock cut and is not shown on profiles. Trade contractor to locate and backfill with crushed limestone and screenings in locations of rock cut.

| REV | DATE | DESCRIPTION |
|-----|-----------|---------------|
| △ | 3/25/2016 | City Comments |



PROJECT NUMBER
13326.00

DATE
03/25/16

CONSTRUCTION DOCUMENTS

DESIGNED: HTR/JWM/JRH
DRAWN: HTR/JWM/JRH
REVIEWED: HTR/BDP

SHEET TITLE
Storm Sewer Profiles

SHEET NUMBER
C6.0