


TYPE A WALL

SCALE: 3/8" = 1'

NOTE:
 DAYLIGHT OR MAKE PROPER CONNECTION OF UNDERDRAIN PIPE AS REQUIRED TO STORM SYSTEM




TYPE C WALL

SCALE: 3/8" = 1'

NOTE:
 DAYLIGHT OR MAKE PROPER CONNECTION OF UNDERDRAIN PIPE AS REQUIRED TO STORM SYSTEM


- GENERAL NOTES
- CONTROL JOINTS TO BE CONSTRUCTED AT 25' MAXIMUM SPACING
 - EXPANSION JOINTS TO BE CONSTRUCTED AT A MAXIMUM 85' SPACING
 - ALL REINFORCED CONCRETE WALLS SHALL HAVE A FORM LINER THAT APPROXIMATES THE LOOK OF THE MODULAR BLOCK WALL



TYPE B WALL

SCALE: 3/8" = 1'

NOTE:
 DAYLIGHT OR MAKE PROPER CONNECTION OF UNDERDRAIN PIPE AS REQUIRED TO STORM SYSTEM



TYPE D WALL

SCALE: 3/8" = 1'

NOTE:
 DAYLIGHT OR MAKE PROPER CONNECTION OF UNDERDRAIN PIPE AS REQUIRED TO STORM SYSTEM



PLAN	DATE	BY	CHKD

PROFILE	DATE	BY	CHKD

PLOT DATA	DATE	BY	CHKD