




PLACEMENT AND CONSTRUCTION OF STRAW BALE BARRIER




SEDIMENT BARRIER
NOT TO SCALE






TYPICAL SECTION-REINFORCED RETAINING WALL
TO BE DESIGNED BY OTHERS
NOT TO SCALE




2 GRATE INLET




AREA INLET (12" THRU 24")



FLARED END SECTION




PERMANENT OUTFLOW CONTROL DETAIL
NOT TO SCALE




SINGLE STREET INLETS
PRECAST CONCRETE
NOT TO SCALE


TEMPORARY SEDIMENT BASIN DETAIL
NOT TO SCALE




TEMPORARY SEDIMENT BASIN DETAIL
NOT TO SCALE



LINE MANHOLE
PIPE SEWERS 8"-24" DIA.



PIPE BEDDING CLASS "C"
(MODIFIED FOR REINFORCED CONCRETE PIPE)



6" HIGH VINYL PRIVACY FENCE
NOT TO SCALE

ROUND PIPE			
Inside Diameter of Pipe (Inches)	"W" Payline Width of Trench (Inches)	"W" Payline Width of Trench (Feet)	Pay-volumes cu. ft. per ft. Concrete Encasement
12	28	2.33	3.98
15	32	2.67	4.89
18	35	2.92	5.63
21	39	3.25	6.61
24	42	3.50	7.39
30	49	4.08	9.30
36	56	4.67	11.43

TABLE NO. 1
PAYLINE WIDTHS OF TRENCH AND PAY-QUANTITIES OF CONCRETE