

PROJECT SPECIFICATIONS

- 1. CONTRACTOR IS TO FOLLOW ALL ORDINANCES AND REQUIREMENTS OF THE STATE, COMMUNITY, LOCAL DISTRICTS AND THE MISSOURI ACCESSIBILITY CODE (MAC)...

GRADING

- 1. GEOTECHNICAL REPORTS AS PREPARED BY OWNER (OR REPRESENTATIVE) SHALL BE REFERRED TO PRIOR TO EARTH MOVING AND/OR UTILITY CONSTRUCTION...

WATER MAIN SPECIFICATIONS

- 1. HORIZONTAL SEPARATION
A. WATER MAINS AND SEWERS: WATER MAINS SHALL BE LAID AT LEAST TEN FEET HORIZONTALLY FROM ANY EXISTING OR PROPOSED DRAIN, STORM SEWER...

PAVEMENT

- 1. ALL PAVEMENTS SHALL BE DESIGNED AND CONSTRUCTED IN ACCORDANCE WITH THE FOLLOWING REFERENCES AS THEY APPLY: STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION...

SANITARY SEWER SPECIFICATIONS

- 1. ALL SANITARY SEWER PIPE SHALL BE D.I.P., MIN. CLASS 50, CONFORMING TO ANSI A-21.51 WITH ANSI A-21.11 JOINTS; OR P.V.C. PIPE CONFORMING TO ASTM D-3034 SPECIFICATIONS...

STORM SEWER SPECIFICATIONS

- 1. ALL REINFORCED CONCRETE PIPE SHALL CONFORM TO ASTM C-76 SPECIFICATIONS WITH ASTM C-443 FLAT GASKET JOINTS, OR ASTM C-361 "O-RING" JOINTS WHEN WATER MAIN QUALITY JOINTS ARE REQUIRED...

'AMERICANS WITH DISABILITIES ACT' (ADA) MINIMAL REQUIREMENTS'

- 1. GENERAL CONTRACTOR TO BECOME FAMILIAR WITH AND APPLY THE ADA MINIMAL REQUIREMENTS AND REPORT TO ARCHITECT/ENGINEER ANY DISCREPANCIES BEFORE CONSTRUCTION...

PROJECT SPECIFICATIONS C-12

Table with columns: NO., REVISIONS, DATE. Rows 1-4.

Prepared For: DXU ARCHITECTS 412 South Wells, 2nd Floor Chicago, IL 60607

Prepared By:



DATE: 7/19/19
JEFFREY C. MILLER
PROFESSIONAL ENGINEER
EXP: 11/20/19

Table with columns: CHECKED BY, DESIGN BY, DRAWN BY, DATE, SCALE, PROJECT NO.

OBERWEIS RESTAURANT 1816 Highway K O'Fallon, St. Charles County, Missouri, 63366