


\\server\projects\97034\dwg\97034_1\C.DES.dwg, 1/26/2005 10:15:15 AM, JUSTIN W.



- CONSTRUCTION SPECIFICATIONS**
1. Stone Size: Use #2 stone or equivalent or crushed concrete equivalent.
 2. Layout: All material, but not less than 60 feet (covered or a single surface) or more than 20 feet minimum length must be used.
 3. Reinforcement: Not less than #3 bars.
 4. Width: Twenty six (26) feet maximum, but not less than the full width of public ways signs or signs erected.
 5. Floor Cloth: Will be placed over the entire area prior to placing of the stone. Floor cloth will be replaced on a single family residence.
 6. Surface: White. All surface water flowing or directed toward construction activities shall be kept within the drainage. If during or subsequent to a rainstorm, the surface shall be maintained in a condition which will prevent flooding or flowing of sediment into a public right-of-way. This may require covering the drainage with additional stone or concrete and rapid removal of sediment or any material used to trap sediment. All sediment shall be disposed of in a proper manner.
 7. Maintenance: The contractor shall be responsible to maintain the public right-of-way until the drainage is completed.
 8. Warning: Warning shall be placed to advise motorists prior to starting drainage. Warning shall be placed at intervals of 500 feet on all sides of the public right-of-way. When warning is placed, it shall be done on an area shielded with stone and which drains into an approved sediment trapping device.
 9. Public: Inspection and needed maintenance shall be provided after each rain.
- STABILIZED CONSTRUCTION ENTRANCE AND TEMP. TRUCK WASHDOWN AREA DETAIL**
N.T.S.

THE LAWRENCE GROUP ARCHITECTS
Austin
Carolina
Denver
New York
St. Louis

319 North 4th Street
Suite 1000
St. Louis, MO 63102
Phone 314-251-5766
Fax 314-251-9668

Project Team:
General Contractor: PARIC
Civil Engineer: Pickett Ray & Shiver, Inc.
Structural Engineer: AES Consulting
Mechanical Designer: Jarrell Mechanical
Plumbing Designer: Kyril Plumbing
Electrical Designer/Contractor: Crown Electrical



Project Title:

O'Fallon, Missouri 63366

Park Place
Independent and Assisted Living Apartments
Phoenix Parkway (Village M)

PROJECT: CITY OF O'FALLON, DCSD 1-07-05

BUILDING PERMIT SET
Sheet Title:

DETAILS 1

Project Number: 04188
Sheet Number: C8
Drawn By: C.V.C.
Issue Date: NOV. 15, 2004

FILE# 9831.51