



PLAN




SECTION A-A

NOTE: INLETS ON THIS SHEET ARE TO BE USED IN LOCATIONS WHERE STANDARD OPEN THROAT INLETS CAN NOT BE USED, IN PAVED TRAFFIC WAY, AND IN LIMITED EASEMENTS.


2 GRATE INLET




INLET STONE




SINGLE CURB INLET




ADAPTER RING



SINGLE STREET INLETS
PRECAST CONCRETE




SHALLOW SINGLE CURB INLET




INLET SILL

ROUND PIPE				HORIZONTAL ELLIPTICAL PIPE			
Inside Diameter of Pipe (Inches)	"W" Payline Width of Trench (Inches)	"W" Payline Width of Trench (Feet)	Pay-volumes cu. ft. per ft. Concrete Encasement	Inside Diameter of Pipe (Inches)	"W" Payline Width of Trench (Inches)	"W" Payline Width of Trench (Feet)	Pay-volumes cu. ft. per ft. Concrete Encasement
4	28	2.33	3.20				
6	28	2.33	3.46				
8	28	2.33	3.70				
10	28	2.33	3.86				
12	28	2.33	3.98				
15	32	2.67	4.89				


TABLE NO. 1
PAYLINE WIDTHS OF TRENCH AND
PAY-QUANTITIES OF CONCRETE




PRECAST CONCRETE UNIT
FOR SINGLE CURB INLET




SECTION A-A




DOWNSPOUT DETAIL




DOWNSPOUT DETAIL
NOT TO SCALE




PLAN




SECTION H-H
REINFORCED CONCRETE STONE STANDARD STREET INLET AND
MAIN UNIT OF MULTIPLE UNIT INLET




STANDARD - INLET
STONES, BLOCKS &
DESIGN DETAILS




WATER VALVE DETAIL
NOT TO SCALE



PIPE BEDDING CLASS "C"
(FOR SANITARY SEWER
REINFORCED CONCRETE PIPE)



PIPE BEDDING CLASS "C"
(MODIFIED FOR REINFORCED
CONCRETE PIPE)



PIPE BEDDING CLASS "C"
(FOR ALL PIPE EXCEPT
REINFORCED CONCRETE PIPE)

E:\DWG\A11000PLUS\11282D--PERUQUE LOT 3\CONSTRUCTION\11282D.CON.dwg, 01/06/2004, 05:01:43 PM, 1:1, STATION 36 SWR