


AREA TO BE DEMOLISHED



STRIPING TO BE REMOVED

VERIFY SLOPES ALONG ACCESSIBLE ROUTES. RUNNING SLOPE NOT TO EXCEED 5% AND CROSS SLOPES NOT TO EXCEED 2%. CONTACT QUIKTRIP REP. IF SLOPES ARE IN EXCESS OF MAX SLOPES.

IF AIR ALCOVE CONTAINS EXISTING WATER HYDRANT, CORE DRILL AND CAP BELOW GRADE, PATCH CONCRETE, AND DISCONNECT PIPE FROM WATER SOURCE AT BUILDING.

VERIFY WITH FPM/QT REPRESENTATIVE PRIOR TO DEMOLITION THE EXTENT OF SLAB DEMOLITION DUE TO TRANSITIONS BETWEEN STANDARD PARKING AND ACCESSIBLE SPACES WITH LASER LEVEL.

VERIFY EXTENT OF ALL DEMOLITION WORK WITH QUIKTRIP REPRESENTATIVE.



LICENSE NUMBER: AR007257
 EXPIRATION: 12/31/2013 (ELM)
 SIGNATURE DATE: JAN 13 2012



The McIntosh Group, LLC
 1850 South Boulder, Suite 300
 Tulsa, Oklahoma 74119
 Telephone 918.585.8555
 Telefax 918.583.7282

Quik Trip No. 632
 4750 Highway K
 O'Fallon, MO 63368



© COPYRIGHT: SEE QUIKTRIP CORPORATION DESIGN HISTORY. SUBJECT MATTER IS THE PROPERTY OF QUIKTRIP CORPORATION. QUOTE, COPY, REPRODUCE, TRANSMIT, MARGE, AND OTHERWISE USE IN ANY MANNER BY ANY MEANS, WITHOUT THE WRITTEN PERMISSION OF QUIKTRIP CORPORATION, IS STRICTLY FORBIDDEN.

PROTOTYPE	P-01
DIVISION	06
VERSION	PHASE II
DATE	01-09-12

REV	DATE	DESCRIPTION

SHEET TITLE:
Demo Site Plan

SHEET NUMBER:
AS 100