



**SITE PLAN GENERAL NOTES:**

THE DASHED LINE INDICATES THE ACCESSIBLE ROUTE AND DOES NOT INDICATE AN AREA TO BE STRIPED. VERIFY THE SLOPES ALONG THE NOTED ACCESSIBLE ROUTE. RUNNING SLOPES MAY NOT EXCEED 5% AND CROSS SLOPES MAY NOT EXCEED 2%.

DENOTE ACCESSIBLE MPDs WITH 15A SIGNAGE - SEE SK 007.

PROVIDE BRACKET FOR ADA SIGNAGE AT GAS COLUMN - SEE SK 540.

230 S.F. OF ADDITIONAL SIDEWALK - MINIMAL ADDITIONAL WATER RUN-OFF. ALL LANDSCAPING TO BE RELOCATED ON SITE.

**INTERIOR GENERAL NOTES:**

ADJUST EMPLOYEE AREA DOORS SO THAT THE OPENING FORCE IS 5 LBS. OR LESS.

ADJUST EMPLOYEE AREA DOOR CLOSERS SO THAT THE DOOR TAKES AT LEAST 3 SEC. TO MOVE TO A POINT 3" FROM THE LATCH FROM AN OPEN POSITION OF 70 DEGREES.

REPLACE EXISTING DOUBLE COOLER DOOR WITH SINGLE LEAF DOOR.

REPLACE EXISTING REAR EXIT DOOR THRESHOLD WITH A THRESHOLD THAT IS 1/2 INCHES HIGH AND ADAAG COMPLIANT.

LOWER CONTROLS ON EXISTING COFFEE FLAVOR DISPENSERS AND FROZEN CAPPUCCINO DISPENSERS SO THAT THE TOP OF THE CONTROLS ARE <= 54" ABOVE THE WALKING SURFACE.

RELOCATE EXISTING FLY DEFENSE UNIT - SEE SKs 015, 477.

REPLACE OVERHEAD RESTROOM SIGNAGE AT THE RESTROOMS - SEE SKs 519, 520.

PROVIDE TACTILE EXIT SIGNAGE AT REAR EXIT - SEE SK 546.



LICENSE NUMBER: 080727  
 EXPIRATION: 12/31/2013  
 SIGNATURE DATE: 08/06/2012



The McIntosh Group, LLC  
 1850 South Boulder, Suite 300  
 Tulsa, Oklahoma 74119  
 Telephone 918.585.8555  
 Telefax 918.583.7282

**Quik Trip No. 662**

955 Bryan Rd.  
 O'Fallon, MO 63366



PROTOTYPE	P-01
DIVISION	6
VERSION	1
DATE	09/08/2011

REV	DATE	DESCRIPTION
1	1/6/12	CODE REVIEW COMMENTS

SHEET TITLE:  
**Site Plan**

SHEET NUMBER:  
**AS 101**