

Addendum

ADDENDUM NO.: 5

DATE: 3/26/2019 (CIVIL ISSUE)

H&S JOB NO.: 1727000

PROJECT: O'Fallon Multi-family (Renew O'Fallon)

Attach the following to the project documents. These items now become incorporated into the work defined by the Contract Documents effective as of the date of this Addendum.

DRAWING ITEMS

All items noted below are attached to this addendum unless otherwise noted.

Item 1: Sheet C2.1 and C2.2: Existing Conditions and Removal Plan

- A. Relocation of "no parking" sign identified on C2.1.
- B. Existing light standard (DND) added to plan on C2.2.

Item 2: Sheets C3.1 and C3.2: Site Plan

- A. Sidewalk locations revised to avoid conflict with existing light standards.
- B. Modular block walls added on east side of Building 11.

Item 3: Sheets C4.1 and C4.2: Utility Plan

- A. Water lines from W1 to W4 revised to avoid conflict with existing light standard.
- B. Sanitary sewer lines from MH 126 to lateral connection 129 revised to avoid conflict with existing light standard.
- C. Water Main Table updated.

Item 4: Sheets C5.1 and C5.2: Grading Plan

- A. Sheets reissued for defined FF elevations of garage structures.
- B. Sheets reissued for slight grading modifications over majority of the site.
- C. Building FF Elevations changed for Buildings 5, 6, 8, 9, and 10. (Building step difference did NOT change, nor were steps added if none previously existed.)
- D. Modular block walls added at mechanical units east of Building 11 near detention basin.

Item 5: Sheet C5.3 Entrance Warping Plans and Profiles

- A. Revised entrance warping for sidewalk changes at Kestral Lane entrance.

Item 6: Sheet C5.4 Detention Basin Sections

- A. Corrected labeling of detention basin sections in profile view.