

SYMBOLS

| | |
|-----------------------------|---------------------------|
| CORNERS FOUND/IRON PIPE | |
| TEMPORARY BENCH MARK | |
| PROPERTY LINE | |
| SAWCUT | |
| RECORD BEARING AND DISTANCE | N 19°23'34" E - 211.37' |
| TREE LINE | |
| MATCHLINE | MATCHLINE SEE SHEET XX-XX |
| STREAM / CREEK | |
| CLUSTER OF TREES / BRUSH | |
| BOLLARD | • BOL |
| END SECTION | |
| FLAG POLE | FP |
| SELECT GRANULAR BACKFILL | |
| TRENCH DRAIN | |
| COORDINATE NODE | X |

LEGEND

| EXISTING | PROPOSED |
|-----------------|-----------------------|
| SITE: | |
| | SOIL BORING |
| | SIGN |
| | LIGHT STANDARD |
| | CHAIN LINK FENCE |
| | TREE |
| | BUSH |
| UTILITY: | |
| | GRATED INLET |
| | CURB INLET |
| | SANITARY MANHOLE |
| | STORM MANHOLE |
| | DOWNSPOUT |
| | TELEPHONE RISER |
| | CLEANOUT |
| | WATER VALVE |
| | WATER METER |
| | GAS VALVE |
| | GAS METER |
| | FIRE HYDRANT |
| | POWER POLE |
| | GUYWIRE |
| | STORM SEWER |
| | SANITARY SEWER |
| | GAS LINE |
| | WATER LINE |
| | UNDERGROUND TELEPHONE |
| | DOWNSPOUT LATERAL |
| | UNDERGROUND ELECTRIC |
| | OVERHEAD ELECTRIC |
| GRADING: | |
| | CONTOUR LINE |
| | SPOT ELEVATION |

ABBREVIATIONS

| | | | |
|-----------|--------------------------|--------|-----------------------------|
| ASPH | Asphalt | PG | Page |
| BC | Bottom of Curb | PI | Point of Intersection |
| BIT | Bituminous | PIV | Post Indicator Valve |
| BK | Book | PL, P | Property Line |
| BM | Benchmark | PP | Power Pole |
| BOL | Bollard | PROP | Proposed |
| BOP | Beginning Of Project | PSI | Pounds per square inch |
| BS | Bottom of Slope | PT | Point of Tangency |
| CB | Catch Basin | PVC | Polyvinyl Chloride Pipe |
| CL, C | Centerline | PVMT | Pavement |
| CI | Cast Iron | R, RAD | Radius |
| CJ | Construction Joint | R&S | Remove And Salvage |
| OMP | Corrugated Metal Pipe | RCP | Reinforced Concrete Pipe |
| CONC | Concrete | RD | Road |
| CS | Combined Sewer | ROW | Right of Way |
| D | Degree of Curve | RTE | Route |
| DI | Ductile Iron Pipe | S | South |
| DIA | Diameter | SP | Spaces |
| DM | Dimension | SPECS | Specifications |
| DND | Do Not Disturb | SS | Sanitary Sewer |
| DS | Downspout | ST | Storm Sewer |
| E | East | STA | Station |
| ELEC | Electric | STL | Steel Pipe |
| ELEV | Elevation | T/ | Top of |
| EOP | End Of Project | TBA | To Be Abandoned |
| EP | Edge of Pavement | TBA&F | To Be Abandoned and Filled |
| EQ | Equal | TBR | To Be Removed |
| EXIST, EX | Existing | TBR&R | To Be Removed and Relocated |
| EXP JT | Expansion Joint | TC | Top of Curb |
| F | Fence | TELE | Telephone |
| FC | Fence Corner | TS | Top of Slope |
| FF | Finished Floor | TW | Top of Wall |
| FH | Fire Hydrant | TYP | Typical |
| FL | Flow Line | UG | Underground |
| FP | Fire Protection | UIP | Use In Place |
| G | Natural Gas | UE | Underground Electric |
| HORIZ | Horizontal | VAC | Vacated |
| HP | High Point | VERT | Vertical |
| I | Invert | VFI | Vertical FI |
| ID | Inside Diameter | VPC | Vertical PC |
| INTER | Intermediate | VPT | Vertical PT |
| INV | Invert | W | West |
| IP | Iron Pipe | W/ | With |
| IR | Iron Rod | WC | Wall Corner |
| IV | Irrigation Valve | WM | Water Meter |
| L | Length of Curve | WV | Water Valve |
| MAX | Maximum | WWF | Welded Wire Fabric |
| MH | Manhole | UIP | Use In Place |
| MIN | Minimum | UNO | Unless Noted Otherwise |
| MISC | Miscellaneous | UT | Underground Telephone |
| MON | Monument | | |
| N | North | | |
| N.I.C. | Not In Contract | | |
| NO | Number | | |
| OC | On Center | | |
| OD | Outside Diameter | | |
| OH | Overhead | | |
| ORD | Ordinance | | |
| PB | Plot Book | | |
| PC | Point of Curvature | | |
| PCC | Portland Cement Concrete | | |

Revision 12/9/02 ISSUED FOR BIDDING



12/12/02

RENAUD SPIRIT CENTER
For the City of O'Fallon - Missouri



Key Plan:
Scale:
Jacobs Project No: **FW4000**
Drawing Title: **ABBREVIATIONS LEGENDS SYMBOLS**
Date: **DECEMBER 9, 2002**
Designed By: **AW** Drawing No:
Drawn By: **AW** Checked By: **WB** **C101**