



NOTE: Provide a marking on the storm sewer inlets. The City will allow the following markers and adhesive procedures only as shown in the table below or approved equal by Ainetek Industries. 'Peel and stick' adhesive pads will not be allowed.

Manufacturer	Size	Adhesive	Style	Message (Part #)	Website
ACP International	3 7/8"	Epoxy	Crystal Cap	No Dumping Drains To Waterways (SD- W-C)	www.acpinternational.com
DAS Manufacturing, Inc.	4"	Epoxy	Standard Style	No Dumping Drains To Stream (#335)	www.dasmanufacturing.com

NOTE: RCP RAP SHOWN AT FLARED ENDS WILL BE EVALUATED IN THE FIELD AFTER INSTALLATION FOR EFFECTIVENESS AND FIELD MODIFIED IF NECESSARY TO REDUCE EROSION ON AND OFF SITE. RCP RAP IS NOT TO BE GROUTED.

NOTE: CUTOFF WALLS ON FE'S ARE 2' DEEP UPSTREAM, 3' DEEP DOWNSTREAM. (FE'S SHALL BE CONC.)

SCALE:
HOR. - 1"=40'
VERT. - 1"=10'
P&Z APPROVAL 10.05.06
FILE #2606.01

PICKETT RAY & SILVER
CIVIL ENGINEERS
PLANNERS
LAND SURVEYORS
339 Mid Rivers Mall Drive
St. Peters, MO 63376
Phone (636) 397-1211
Fax (636) 397-1104

**SSM HEALTHCARE
IMPROVEMENT PLANS
OF FALLON, MO**
Prepared For:
LILLIBRIDGE
LILLIBRIDGE
CONTACT: NOE MARTINEZ
5308 WEST PLANO PARKWAY
PLANO, TEXAS 75093-4821
972-248-5100 EXT. 2600

REVISIONS	NO.	DATE	REVISED PER CITY COMMENTS
	1	10.19.06	

ENGINEERS AUTHENTICATION
The responsibility for professional engineering liability on this project is hereby limited to the set of plans authenticated by the seal, signature, and date hereunder attached. Responsibility is disclaimed for all other engineering plans involved in this project and specifically excludes revisions after this date unless reauthenticated.

PICKETT RAY & SILVER, INC.
STATE OF MISSOURI
NOE MARTINEZ
PROFESSIONAL ENGINEER
NUMBER
PE 2000000000

DRAWN J.M. WINTERS **DATE** 10.11.06
CHECKED S.D. MARION **DATE** 10.11.06
PROJECT # 91090.LILB.02C
TASK # 2 **FIELD BOOK** 450E

**SSM HEALTHCARE
IMPROVEMENT PLANS
PROFILES SHEET**
SHEET 8 OF 10
© Copyright 2006 by Pickett, Ray & Silver, Inc.

\\server\projects\91090.LILB\dwg\91090.DES 10-10-06.dwg, 10/19/2006 10:06:48 AM, JUSTIN WINTERS